SAFETY DATA SHEET

Honeywell

1. Identification

Other means of identification

Product codeS461, S463, S464, S467Recommended useLens cleaning solution.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name: Honeywell Safety Products USA, Inc Address: 10 Thurber Blvd, Smithfield, RI 02917

Telephone: +1-800-873-5242

Contact Person hsptechsupport@honeywell.com

E-mail: msds@chemtrec.com

Emergency telephone +1-703-741-5500 for USA/Canada

number:

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
2-Butoxyethanol	111-76-2	<6
Sodium Lauryl Ether Sulfate	68585-34-2	<2

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

4. First-aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Skin contact Wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

Eye contact Remove contact lenses. Get medical attention promptly if symptoms occur after flushing.

Ingestion Seek medical advice.

Uvex Clear Solution SDS US

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

Treat symptomatically.

No specific symptoms noted.

treatment needed
General information

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

No restrictions known.

Specific hazards arising from

the chemical

None.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Self-contained breathing apparatus operated in positive pressure mode and full protective clothing

must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For industrial use, wear appropriate personal protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Stop leak if you can do so safely. Absorb spill with appropriate sand, clay or other inert sorbent

material, then place in appropriate waste container.

Large Spills: Flush area with water. Treat runoff per applicable environmental regulations

pertaining to drains, water courses and ground water, diking if required.

Environmental precautions

Treat discharge into drains, water courses or onto the ground according to applicable regulations.

7. Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices. Avoid inhalation of vapors and contact with skin and

eyes.

Conditions for safe storage, including any incompatibilities

Keep container closed. Store away from incompatible materials. Do not allow material to freeze.

5 ppm

Keep at temperature not exceeding 43°C / 110°F.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	PEL	240 mg/m3	
		50 ppm	
US. ACGIH Threshold Limit Value	ies		
Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	TWA	24 mg/m3	

Uvex Clear Solution SDS US

916580 Version #: 01 Revision date: - Issue date: 06-July-2015

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time	
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*	

^{* -} For sampling details, please see the source document.

Exposure guidelines No exposure standards allocated.

US - California OELs: Skin designation

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

US - Tennessee OELs: Skin designation

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

Appropriate engineering

Not required.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection None under normal conditions.

Skin protection

Hand protection Chemical resistant gloves are recommended.

Other None under normal working conditions.

Respiratory protection Not normally needed.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material

considerations and before eating, drinking, and/or smoking.

9. Physical and chemical properties

Appearance Clear tinted liquid.

Physical state Liquid.
Form Liquid.
Color Clear tinted.

Odor Slight odor.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling 212 °F (100 °C)

range

Flash point > 212.0 °F (> 100.0 °C)

Evaporation rate < 1 (Butyl acetate=1)

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 22 mm Hg (20°C/68°F)

Vapor density Not available.

Uvex Clear Solution SDS US

916580 Version #: 01 Revision date: - Issue date: 06-July-2015

Relative density 0.98

Solubility(ies)

Solubility (water) Completely soluble in water.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

Reactivity Stable at normal conditions.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoidContact with incompatible materials. Freezing. Elevated temperatures.

Incompatible materials Strong oxidizers, strong acids, and strong bases.

Hazardous decomposition No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Prolonged or repeated contact may dry skin and cause irritation.

Eye contact May cause temporary eye irritation.

Ingestion No harmful effects expected in amounts likely to be ingested by accident.

Symptoms related to the physical, chemical and toxicological characteristics

May cause discomfort if swallowed.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Skin corrosion/irritation Prolonged or repeated contact may dry skin and cause irritation.

Serious eye damage/eye

irritation

May cause temporary eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Not a skin sensitizer.

Germ cell mutagenicity Not classified.

Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified.

Specific target organ toxicity - Not classified.

single exposure

Not classified.

repeated exposure

Aspiration hazard Not classified.

Chronic effects Not classified.

Further information No other specific acute or chronic health impact noted.

12. Ecological information

Specific target organ toxicity -

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Uvex Clear Solution SDS US

Persistence and degradability No data available.

Bioaccumulative potentialThe product is not expected to bioaccumulate.

Partition coefficient n-octanol / water (log Kow)

2-Butoxyethanol (CAS 111-76-2) 0.83

Mobility in soil The product is completely soluble in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose in accordance with all applicable regulations. Do not allow runoff to sewer, waterway or

ground.

Hazardous waste codeWaste codes should be assigned by the user based on the application for which the product was

used.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is not hazardous according to OSHA 29CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

2-Butoxyethanol (CAS 111-76-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.2-Butoxvethanol111-76-2<6</td>

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Uvex Clear Solution SDS US

5/6

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

2-Butoxyethanol (CAS 111-76-2)

US. New Jersey Worker and Community Right-to-Know Act

2-Butoxyethanol (CAS 111-76-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Inventory name

2-Butoxyethanol (CAS 111-76-2)

US. Rhode Island RTK

2-Butoxyethanol (CAS 111-76-2)

US. California Proposition 65

Not Listed.

Country(s) or region

International Inventories

Australia

Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

Australian Inventory of Chemical Substances (AICS)

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 06-July-2015

Revision date - Version # 01

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

NFPA ratings



List of abbreviations

References ACGIH

EPA: Acquire database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ESIS (European chemical Substances Information System)

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Disclaimer This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

Uvex Clear Solution SDS US

On inventory (yes/no)*

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).