



Material Safety Data Sheet

Print date: 02/25/2008

Version: 3

Revision date: 02/25/2008

1. COMPANY AND PRODUCT IDENTIFICATION

Product name:

FERROCOTE® 61A US

Product code:

007734-22 01

Supplier:

Quaker Chemical Corporation
Quaker Park One
901 Hector Street
Conshohocken, PA 19428
610-832-4000
E-mail: she@quakerchem.com

Emergency telephone number:

* 24 HOUR TRANSPORTATION:

**CHEMTREC: 1-800-424-9300

703-527-3887 (Call collect outside of US)

* 24 HOUR EMERGENCY HEALTH & SAFETY:

**QUAKER CHEMICAL CORPORATION: (800) 523-7010(

Within US only)

Outside of US call (703) 527-3887

2. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Components	CAS No.	Weight %	OSHA Ceiling Limits	ACGIH Ceiling Limits	OSHA TWA (final):	ACGIH Exposure Limits:	Vendor Exposure Limits:
Mineral Oil*	8012-95-1	90 - 100%			5mg/m ³	5 mg/m ³	None
Sulfonic acids, petroleum, calcium salts, overbased	68783-96-0	1 - 5%			None	None	

* May include one or more of the following CAS #: 64741-88-4, 64741-89-5, 64741-44-2, 64741-96-4, 64741-97-5, 64742-46-7, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-62-7, 64742-65-0, 72623-84-8, 72623-85-9, 72623-86-0, 72623-87-1 and 64741-95-3

3. HAZARDS IDENTIFICATION

Emergency Overview

This product may cause irritation of the eyes, skin, mucous membranes and respiratory tract.
May be harmful if swallowed.

Signal word:

CAUTION

Principle routes of exposure:

Eyes, skin and inhalation.

Eye contact:

Contact with eyes may cause irritation.

Skin contact:

Repeated or prolonged contact with base product may cause irritation leading to various skin disorders such as dermatitis, oil acne, or folliculitis.

Inhalation: Inhalation of vapor (generated at high temperatures only) or oil mist from this product may cause mild irritation of the upper respiratory tract.

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Physico-chemical properties: No hazards resulting from material as supplied.

4. FIRST AID MEASURES

General advice: Take off contaminated clothing and shoes immediately.
Wash off with soap and water.
If symptoms persist, call a physician.

Eye contact: Rinse thoroughly with plenty of water, also under the eyelids. Consult a physician

Skin contact: Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. If skin irritation persists, call a physician.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

Inhalation: Move to fresh air in case of accidental inhalation of vapors. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

Notes to physician: Treat symptomatically.

Medical condition aggravated by exposure: Dermatitis and asthma.

5. FIRE-FIGHTING MEASURES

Flash Point (°C): 193 **Flash point (°F):** 380 **Flash Point Method:** COC

Flammable limits in air - lower (%): Not determined **Flammable limits in air - upper (%):** Not determined

Suitable extinguishing media: Use dry chemical, CO₂, water spray or 'alcohol' foam.

Unusual hazards: None known.

Special protective equipment for fire-fighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Specific methods: Water mist may be used to cool closed containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical measures/precautions:

Provide sufficient air exchange and/or exhaust in work rooms.

Safe handling advice:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear personal protective equipment. Do not breathe vapors or spray mist. Avoid contact with skin and eyes. Remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

Storage

Technical measures/storage conditions:

Store at room temperature in the original container

Incompatible products:

strong oxidizing agents

Safe storage temperature:

40-100 ° F

Shelf life:

6 months

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components	ACGIH Ceiling Limits	ACGIH Exposure Limits:	OSHA Ceiling Limits	OSHA TWA (final):	NIOSH - Pocket Guide - TWAs:	Vendor Exposure Limits:
Mineral Oil*		5 mg/m ³		5mg/m ³	5mg/m ³	None
Sulfonic acids, petroleum, calcium salts, overbased		None		None	None	None

Engineering measures:

Ensure adequate ventilation.

Personal Protective Equipment

General:

Eye Wash and Safety Shower

Respiratory protection:

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, a NIOSH/MSHA certified respirator with organic vapor/P100 filter should be worn.

Hand protection:

Neoprene gloves

Skin and body protection:

Long sleeved clothing

Eye protection:

Safety glasses with side-shields.

Hygiene measures:

Avoid contact with skin, eyes and clothing.



9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical state:

Liquid

Color:

Clear, Amber

9. PHYSICAL AND CHEMICAL PROPERTIES:

Odour:	Pleasant
Boiling point/range (°C):	235-400
Boiling point/range (°F):	455-700
Vapour pressure:	0.09 mm Hg @ 25 C.
Vapour density:	Not determined
VOC Content Product (g/L)	0.44 lb/gal (ASTM D-2369)
Solubility:	Negligible
Evaporation rate:	Not determined
Flash Point (°C):	193
Flash point (°F):	380
Decomposition temperature:	Not determined
Auto-ignition temperature (°C):	Not determined
Density @ 15.5 ° C (g/cc) :	0.899
Bulk density @ 60 ° F (lb/gal):	7.5
Volatiles (% by volume) :	6.1
Partition coefficient (n-octanol/water, log Pow):	Not determined
Explosive properties:	
- upper limit:	No data available
- lower limit:	No data available

10. STABILITY AND REACTIVITY

Stability:

Stable under recommended storage conditions..

Conditions to avoid:

None known

Materials to avoid:

Strong oxidising agents

Hazardous decomposition products:

Carbon oxides, Sulphur oxides, Nitrogen oxides (nox)

Polymerization:

Not applicable

11. TOXICOLOGICAL INFORMATION

MINERAL OIL INFORMATION: Any product containing a substance for which OSHA has established a permissible exposure limit (PEL) is considered hazardous. OSHA has established a PEL of 5 mg/m³ for worker exposure to air borne mists of mineral oils. Therefore, the presence of mineral oils brings this product within the provisions of the OSHA Hazard Communication Standard where the PEL reaches or exceeds 5 mg/m³. Health studies have shown that many petroleum hydrocarbons pose potential human health risks which may vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.

No toxicological information is available on the product. Data obtained on components are summarized below.

11. TOXICOLOGICAL INFORMATION

Components	NTP:	IARC:	OSHA - Select Carcinogens	NIOSH - Selected LD50s and LC50s
Mineral Oil*	This product does not contain any material shown to be a carcinogen by the National Toxicology Program (NTP).	This product does not contain any material shown to be a carcinogen by the International Agency for Research on Cancer (IARC).	This product does not contain any material shown to be a carcinogen by OSHA.	22g/kgOral LD50Mouse
Sulfonic acids, petroleum, calcium salts, overbased	This product does not contain any material shown to be a carcinogen by the National Toxicology Program (NTP).	This product does not contain any material shown to be a carcinogen by the International Agency for Research on Cancer (IARC).	This product does not contain any material shown to be a carcinogen by OSHA.	20000mg/kgDermal LD50Rabbit 20000mg/kgOral LD50Rat

12. ECOLOGICAL INFORMATION

Persistence and degradability: No information available

Mobility: No data available

Bioaccumulation: No data available

Ecotoxicity effects: No data available

Aquatic toxicity: Not Determined

Sulfonic acids, petroleum, calcium salts, overbased

Ecotoxicity - Fish Species Data LC50 (Pimephales promelas - 96h) > 1000 mg/L

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products: Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

Proper shipping name: Not Regulated

TDG (CANADA):

Proper shipping name: Not Regulated

IMDG/IMO:

Proper shipping name: Not Regulated

14. TRANSPORT INFORMATION

IATA/ICAO:

Proper shipping name:

Not Regulated

15. REGULATORY INFORMATION

CLASSIFICATION AND LABELING

OSHA Hazard Communication Standard:

This product is considered to be hazardous under the OSHA Hazard Communication Standard.

Canada - WHMIS Classification Information:

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

Canadian Product Classification: Not Regulated

Product Classification Graphic(s):

Component Classification Data:

Mineral Oil* - 8012-95-1

WHMIS hazard class:

1 %

Uncontrolled product according to WHMIS classification criteria

Canadian National Pollution Inventory Data:

U.S. REGULATIONS:

SARA (311, 312) hazard class:

This product possesses the following SARA Hazard Categories:

Immediate Health (Acute): Yes

Delayed Health (Chronic): No

Flammability: No

Pressure: No

Reactivity: No

RCRA Status

Not Regulated

STATE REGULATIONS (RTK):

California Proposition 65 Status:

No components are listed

Mineral Oil* - 8012-95-1

MARTK:
PARTK:

Present (mist)
Present

INVENTORY STATUS:

United States TSCA - Sect. 8(b) Inventory: This product complies with TSCA

Canada DSL Inventory List - This product complies with DSL

EC EINECS/ELINCS/NLP list: This product complies with EINECS

Inventory - Japan - Existing and New Chemical Substances (ENCS): Compliance has not been determined.

16. OTHER INFORMATION

Sources of key data used to compile the data sheet: Material safety data sheets of the ingredients.

Prepared by: Quaker Chemical Corporation -Safety, Health and Environmental Affairs Group - US

Reason for revision: This data sheet contains changes from the previous version in section(s) 9; VP data corrected

HMIS classification:

Health:

1

Flammability:

1

Reactivity:

0

Personal Protection:

B

HMIS Use Dilution

Health

--

Flammability

--

Reactivity

--

Personal Protection

--

NFPA rating:

Health:

1

Flammability:

1

Reactivity:

0

Special:

NA

* Indicates possible chronic health effect

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. Quaker Chemical Corporation ("Quaker") assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of Quaker.

End of Safety Data Sheet