# Safety Data Sheet #2 Utility Grade Sweeping Compound

# Section 1

Product Name: #2 Utility Grade Sweeping Compound MSDS Date: Update 4/1/15 NSN: 7930-00-132-5265 Distributor: Uline Shipping Supplies 12575 Uline Drive Pleasant Prairie, WI 53158 Phone: 1-800-295-5510 Emergency Telephone: Chemtrec- 1-800-424-9300

# **Product Identification:**

**Chemical Name:** N/A **Formulation Components:** 

- 1) Hydrotreated Heavy Naphthenic Distillate Petroleum Hydrocarbons
- 2) Hardwood Sawdust
- 3) Silicon/Dioxide S102

Sweeping compound is used in cleaning floors. It is spread on floors then swept up. Utility grade #2 sweeping compound is used on unfinished concrete and wood floors.

# Section 2

# Health Hazard Data:

None



Skin irritation can be avoided by wearing gloves when using sweeping compound. If contacted with skin wash thoroughly with soap and water.

# Section 3

#### **Chemical Name:** N/A **Formulation Components:**

Hydrotreated Heavy Naphthenic Distillate – Petroleum Hydrocarbons Hardwood Sawdust Silicon/Dioxide S102

The percentage of composition of these components is a trade secret.

# #2 Utility Grade Sweeping Compound

# Section 4

# Routes of Exposure and Signs and Symptoms of Exposure:

**Inhalation:** Irritation of the respiratory system, cough, shortness of breath, wheezing **Eye Contact:** Swelling, discomfort associated with foreign substance within the eye **Ingestion:** Mild discomfort, vomiting

### **Emergency and First Aid Procedures:**

Inhalation: If inhalation occurs, remove personnel from contaminated area to fresh airEye Contact: Flush with water, refer to physicianSkin Contact: Wash thoroughly with soap and waterIngestion: Induce vomiting and consult with a physician

#### Section 5

**Fire and Explosion Data: Flash Point and Method:** 345° F COC Auto ignition T **Flammable Limits:** Upper-N/A, Lower-N/A **Extinguishing Media:** Water, Foam, CO<sub>2</sub> **Special Fire Fighting Procedures:** NIOSH/MSHA self-contained breathing apparatus should be provided for confined areas. Do not enter any enclosed or confined fire space without proper protective equipment.

# Section 6

# Spill/Leak Procedures:

Sweep into proper receptacle Avoid airborne dust Wear personal protective equipment Dispose in accordance with local, state, and federal regulations

# Section 7

# Handling and Storage:

Store material in a dry area with containers tightly closed Avoid physical damage to containers and avoid creating airborne dust Do not store product with food and/or tobacco products

#### Section 8

# **Protective Equipment:**

None required Safety glasses - Optional Protective Gloves for handling material is recommended Dust Respirator – Optional

# **Occupational Exposure Limits:**

- Sawdust OSHA recommends standard maximum permissible concentration 5.0 mg/M3 at an 8-hour time weighted average
- Oil OSHA recommends standard maximum permissible concentration 5.0 mg/M3 at an 8-hour time weighted average
- Sand NIOSH recommends standard maximum permissible concentration of 0.05 mg/M3 as determined by a full shift sample up to 10 hour working day, 40-hour work week

Section 9

Physical Data: Boiling Point: N/A Freezing Point: N/A Specific Gravity: 1.5 Melting Point: 844° C Solubility in Water: N/A Reactivity in Water: N/A Appearance and Odor: Sawdust-Sand-Oil Mixture, Slight oil and lemon odor

Section 10

Reactivity Data: Stability of Product under Normal Conditions: Stable Incompatibilities: Strong acids, Alcalilies, and Oxidizers Hazardous Decomposition Products: Burning or excessive heating may produce Carbon Monoxide and other harmful substances Hazardous Polymerization: Not subject to polymerization

# **HMIS Rating:**

Health – 1 Fire – 0 Reactivity – 0

# Section 11

Likely routes of exposure and immediate effects: Inhalation: Irritation of the respiratory system, cough, shortness of breath, wheezing Eye Contact: Swelling, discomfort associated with foreign substance within the eye Ingestion: Mild discomfort, vomiting Numerical measures of toxicity: N/A Symptoms: Inhalation: Cough, shortness of breath, wheezing Eye Contact: Swelling, tearing, discomfort associated with foreign substance within the eye Ingestion: Vomiting

**Disclaimer:** This information is based on the data presently available and to the best of our knowledge is accurate. But, we make no warranty, expressed or implied, regarding the accuracy of this data or the results obtained from its use; and, any use of the material itself or in combination with any other material or any process is the sole responsibility of the user. This SDS is dated 4/1/2015.