

Division of Illingis Tool Works Inc.

## MATERIAL SAFETY DATA SHEET

SPOTCHECK® PENETRANT SKL-SP1

Company:

MAGNAFLUX

Address:

3624 West Lake Avenue, Glenview, Illinois 60025

Telephone No.:

847-657-5300 (Off-Hour Emergency Number - CHEMTREC - 1-800-424-9300).

Product Use: Packages:

Visible inspection penetrant.

NFPA Rating:

1 gallon and 5 gallon pails, 20 gallon drums, 55 gallon drums, Totes, aerosols.

Health 1, Flammability 1, (Aerosol Flammability 4), Reactivity 0

PIN (Canada):

Revision date:

August 15, 2003

None

**HAZARDOUS INGREDIENTS** 

PEL LC50 <u>Ingredient</u> Wt./Wt.% TLV LD50 CAS# White mineral oil (petroleum) 60-80 64742-47-8 5 mg/m<sup>3</sup> 5 mg/m<sup>3</sup> not avail. not avail. Not Avail. Phthalic Ester 71888-89-6 5 mg/m³ Not Avail. 5-25 5 mg/m³ Isobutane (propellant)\* 75-28-5 1000 ppm not avail. not avail. 30 not avail

\*Aerosol Package Only HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

Bland, oily liquid which may irritate the skin and eyes. Bulk material is difficult to ignite, but will burn vigorously if engulfed in fire. Aerosol is extremely flammable.

POTENTIAL HEALTH EFFECTS, AND SIGNS AND SYMPTOMS OF EXPOSURE:

Skin contact:

Can irritate by removing natural skin oils on long or repeated exposures.

Eyes:

May irritate.

Inhalation:

Not significant at room temperatures. When heated or sprayed, vapors may cause dizziness and nausea.

None

Ingestion:

Not significant in small (mouthful) amounts.

Medical conditions known to be aggravated by exposure to product:

FIRST AID

Skin Contact:

Wash off with soap and water. Use soothing lotion.

Eyes:

Rinse carefully under upper and lower eyelids using plenty of water.

Inhalation:

Ingestion:

Remove to fresh air if dizzy or nauseated.

Do not induce vomiting. Accidental ingestion of a small mouthful is not expected to cause significant harm. NOTE: In all severe cases, contact physician immediately. Local telephone operators can furnish number of regional poison control center.

5. **FIRE HAZARD** 

Conditions of flammability:

Aerosol: Spraying near an ignition source will ignite spray mist.

Flash point (Bulk):

Bulk: None unless heated over 200°F (93°C) near ignition source. Min. 200°F (93°C) (Pensky-Martens closed cup)

Flammable limits in air.

1% to 6%

Extinguishing media:

Carbon dioxide, foam

Special fire fighting procedures:

Keep containers cool with water spray. Do not spray water directly on burning SKL-SP1. It may float and

spread the fire.

Hazardous combustion products:

Unusual fire hazards:

Smoke, soot, oxides of carbon and nitrogen.

Aerosol cans may burst at temperatures over 130°F (54°C) and spray contents into a fire.

6. ACCIDENTAL RELEASE MEASURES

Mop up or sweep up with absorbent. (For disposal, see Section 13.)

7. HANDLING AND STORAGE

Store away from heat source. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid breathing spray mist. Do not spray around arcs or flames.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

None, unless sprayed. Use where ventilation will carry spray mist away from occupied areas.

Personal protection:

Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is unavoidable. Respirator with filter

if sprayed in enclosed unventilated space.

PHYSICAL PROPERTIES

Initial boiling point (bulk)

Min. 455°F (230°C) (ASTM D-86)

Vapor pressure:

Aerosol: 60 psi @ 75°F (24°C) Bulk: <0.10 mm @ 70°F (21°C)

Percent volatile: Density/sp. gravity: Water solubility:

None (30% in aerosol)

0.89 0 Neutral

Vapor density: Evaporation rate: Appearance:

Odor:

Heavier than air Negligible Dark red oily liquid Mild oily odor

10. STABILITY AND REACTIVITY

Stability: Incompatibility: Stable None

Hazardous decomposition products:

Soot, oxides of carbon and nitrogen when burning

Reactivity: None

11. TOXICOLOGICAL INFORMATION

Carcinogenicity:

Contains no known or suspected carcinogens listed with OSHA, IARC, NTP, or ACGIH.

Threshold limited value: 5 mg/m3 for oily mist.

WHMIS information (Canada):

No human information is available for teratogenicity, reproductive toxicity, and mutagenicity. No reports of

toxicological synerism were located. The ingredients have not been found to show skin sensitization.

**ECOLOGICAL INFORMATION** 

No data is available on SKL-SP1. It floats on water and can be skimmed off. Its low vapor pressure may exempt it from VOC restrictions. The

hydrocarbon propellant is not an ozone depleter.

13.

As a non-hazardous oil waste, incinerate or send to waste handler who can blend it into secondary fuels. Empty aerosol cans before disposal.

**TRANSPORTATION** 

U.S. DOT: 49 CFR 172.101 Hazardous Materials Table

1 qal, 5 gal Proper shipping name:

Hazard class or division: Identification No:

IATA: List of Dangerous Goods

Proper shipping name:

Identification No.:

Packing Group:

Hazard class or division:

IMDG: General Index

Packing Group:

20 gal, 55 gal. & Totes None, not restricted None, not restricted None None

None None None

None 1 gal, 5 gal

None, not restricted

**Bulk** None, not restricted None, not restricted None

None None None None None 1 gal, 5 gal

Proper shipping name: Hazard class or division: Identification No.: Packing Group:

None None None

<u>Bulk</u> None, not restricted None

None None Aerosol AEROSOLS

<u>Aerosol</u>

ORM-D

<u>Aerosol</u>

UN1950

None

None

2.1

Consumer commodity

Aerosois, flammable

UN1950

REGULATORY INFORMATION

TSCA: CERCLA:

SARA TITLE III, Section 313:

WHMIS Class (Canada):

Bulk: D-2A Aerosol: A, B-5, D-2A

Note: This MSDS has been prepared to meet WHMIS (Canada) requirements with the exception of using 16 headings.

All ingredients are listed in TSCA inventory

OTHER INFORMATION

Revision Statement:

Sections: 2, 5

Supersedes:

12/7/01

Prepared by:

Shawn Kilty, Research Chemist

3624 W. LAKE AVENUE FAX (847) 657-5388 GLENVIEW, ILLINOIS 60025 TEL (847) 657-5300

www.magnaflux.com