

Revision Number: 004.0 Issue date: 07/21/2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

**AUX TEST SOLUTION 57** IDH number: Product name: 594853 Product type: Auxiliary product Item number: 594853 Restriction of Use: Region: None identified **United States** 

Company address: Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

Telephone: (860) 571-5100 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711

TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

**Contact information:** 

### 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW		
DANGER:	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.	

HAZARD CLASS	HAZARD CATEGORY
SKIN CORROSION	1C
SERIOUS EYE DAMAGE	1

#### PICTOGRAM(S)



### **Precautionary Statements**

Prevention: Do not breathe vapors, mist, or spray. Wash thoroughly after handling. Wear protective gloves,

eye protection, and face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off Response:

immediately all contaminated clothing. IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Immediately call a poison control center or

physician. Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Nitric acid	7697-37-2	5 - 10
Nitric acid, bismuth(3+) salt	10361-44-1	1 - 5

\* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

#### 4. FIRST AID MEASURES

Inhalation: If mist or vapor of this product is inhaled, remove person immediately to fresh

air. Seek medical attention if symptoms develop or persist.

Skin contact: Remove contaminated clothing and footwear. Immediately wash skin

thoroughly with soap and water. Get immediate medical attention.

Eye contact: In case of contact with the eyes, rinse immediately with plenty of water for 15

minutes, and seek immediate medical attention.

Ingestion: Get immediate medical attention. Do not induce vomiting. Give one to two

glasses of water or milk. Never give anything by mouth to a victim who is

unconscious or is having convulsions.

Symptoms: See Section 11.

Notes to physician: Treat symptomatically and supportively.

#### 5. FIRE FIGHTING MEASURES

Extinguishing media: Use media appropriate for surrounding material.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear.

Unusual fire or explosion hazards: This product is an aqueous mixture which will not burn. This product contains

a component which is an oxidizing agent. If evaporated to dryness, solid residue is an oxidizing agent and may cause spontaneous ignition of

combustible materials.

Hazardous combustion products: Upon decomposition, this product emits carbon monoxide, carbon dioxide

and/or low molecular weight hydrocarbons. Oxides of nitrogen.

# 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Wear suitable protective

clothing, gloves and eye/face protection.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

# 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Do not take internally. Wash

thoroughly after handling. Avoid breathing vapors or mists of this product.

Storage: Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Nitric acid	2 ppm TWA 4 ppm STEL	2 ppm (5 mg/m3) PEL	None	None
Nitric acid, bismuth(3+) salt	None	None	None	None

**Engineering controls:** Provide local and general exhaust ventilation to effectively remove and

prevent buildup of any vapors or mists generated from the handling of this

product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection: Wear chemical goggles; face shield (if splashing is possible).

Skin protection: Chemical resistant, impermeable gloves. Use of impervious apron and boots

are recommended.

### PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Colorless Odor: Odorless Odor threshold: Not available. pH: < 2.0

Vapor pressure: Not applicable Boiling point/range: 210 °F (98.9 °C) Melting point/ range: Not applicable Specific gravity: 1.0 - 1.1 Vapor density: Not applicable Not applicable Flash point: Not applicable Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Not applicable Autoignition temperature: Not applicable **Evaporation rate:** Not applicable Solubility in water: Complete Partition coefficient (n-octanol/water): Not available. Not applicable **VOC** content: Viscosity: Not available. **Decomposition temperature:** Not available.

### 10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions.

Hazardous reactions: Will not occur.

Hazardous decomposition Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low products:

molecular weight hydrocarbons. Oxides of nitrogen.

Incompatible materials: Alkalis.

Reactivity: This product may react with strong alkalies.

Conditions to avoid: Keep away from heat, ignition sources and incompatible materials.

### 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes

**Potential Health Effects/Symptoms** 

**Inhalation:** Mists, vapors or liquid may cause severe irritation or burns.

Skin contact: Contact with liquid may produce severe skin irritation including redness, inflammation and

chemical burns.

**Eye contact:** This product is severely irritating to the eyes and may cause irreversible damage including

burns and blindness.

**Ingestion:** This product may produce corrosive damage to the gastrointestinal tract if it is swallowed.

Ingestion of corrosive acids may result in moderately severe burns to mouth and esophagus

with more severe burns and damage to the stomach.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Nitric acid	Inhalation LC50 (RAT, 30 min) = 334 mg/l Inhalation LC50 (RAT, 30 min) = 244 mg/l Inhalation LC50 (RAT, 30 min) = 138 mg/l Inhalation LC50 (RAT, 4 h) = 65 mg/l	Irritant, Corrosive, Lung, Teeth	
Nitric acid, bismuth(3+) salt	None	Blood, Kidney, Metabolic, Muscle, Skin	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Nitric acid	No	No	No
Nitric acid, bismuth(3+) salt	No	No	No

### 12. ECOLOGICAL INFORMATION

Ecological information: Not available.

# 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

Hazardous waste number: This product, if discarded directly, would be a characteristic RCRA corrosive

waste (D002).

### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)

Hazard class or division: 8
Identification number: UN 3264
Packing group: III

DOT Hazardous Substance(s): Nitric acid

International Air Transportation (ICAO/IATA)

**Proper shipping name:** Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)

Hazard class or division:

Identification number: UN 3264
Packing group:

IDH number: 594853 Product name: AUX TEST SOLUTION 57

Water Transportation (IMO/IMDG)

Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)

Hazard class or division: 8
Identification number: UN 3264

Packing group:

### 15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS: Nitric acid (CAS# 7697-37-2).
CERCLA/SARA Section 311/312: Immediate Health, Delayed Health

CERCLA/SARA Section 313: This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). Nitric acid (CAS# 7697-37-2).

CERCLA Reportable quantity: Nitric acid (CAS# 7697-37-2) 1,000 lbs. (454 kg)

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

**Canada Regulatory Information** 

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

#### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Jennifer Mckay, Regulatory Affairs Specialist

Issue date: 07/21/2014

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 594853 Product name: AUX TEST SOLUTION 57