

PYRENE[®] US 1002

Version 0.1

Revision Date 06/03/2015

Print Date 06/03/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATIONProduct name : PYRENE[®] US 1002

Substance number : REL_201853

Chemical usage : Cleaning Compound

Manufacturer or supplier's details

Company : Chemetall US, Inc.

Address : 675 Central Avenue
New Providence NJ 07974

Telephone : (800) 526-4473

Telefax : (908) 464-4658

Emergency telephone no : CHEMTREC - 800-424-9300, 1-703-527-3887 (International)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Appearance	liquid
Colour	light yellow
Odour	surfactant
Hazard Summary	Causes severe burns. Harmful if swallowed.

GHS Classification

Skin corrosion : Category 1A

Serious eye damage : Category 1

GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
Wash skin thoroughly after handling.
Wear protective gloves/ protective clothing/ eye protection/ face protection.

PYRENE[®] US 1002

Version 0.1

Revision Date 06/03/2015

Print Date 06/03/2015

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Inhalation	: no
Skin	: yes
Ingestion	: yes
Aggravated Medical Condition	: None known.

Carcinogenicity:**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :

Hazardous components

Component	CAS-No.	Weight percent
Trade Secret Registry	735517-5127P	5 - 10

PYRENE[®] US 1002

Version 0.1

Revision Date 06/03/2015

Print Date 06/03/2015

Potassium hydroxide	1310-58-3	1 - 5
Trade Secret Registry	735517-5122P	1 - 5

Unidentified ingredients are considered not hazardous under Federal Hazard Communication Standard (29CFR 1910.1200).

Specific chemical identity of composition has been withheld as a trade secret.

Exact percentage of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

- If inhaled : Remove to fresh air.
If symptoms persist, call a physician.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.
Take off contaminated clothing and shoes immediately.
Get medical attention immediately if irritation develops and persists
- In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.
Keep eye wide open while rinsing.
Get medical attention immediately
- If swallowed : Rinse mouth.
Drink plenty of water.
Never give anything by mouth to an unconscious person.
Get medical attention immediately

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Further information : Use water spray to cool unopened containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.
Material can create slippery conditions.
- Methods and materials for containment and cleaning up : Ventilate area.
Neutralise with acid.
Clean up with inert absorbant material.
Keep in suitable, closed containers for disposal.
Flush with plenty of water.
- Additional advice : Never return spills in original containers for re-use.

PYRENE[®] US 1002

Version 0.1

Revision Date 06/03/2015

Print Date 06/03/2015

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Add this product to surface of solution slowly to avoid spattering
Do not add large amounts of product to solution at any one time.
Use only with adequate ventilation.
- Conditions for safe storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination.
Store indoors in a cool, well-ventilated place

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Potassium hydroxide	1310-58-3	C	2.000000 mg/m3	ACGIH
		C	2.000000 mg/m3	NIOSH REL
		C	2.000000 mg/m3	OSHA P0

Personal protective equipment

- Respiratory protection : If the occupational exposure limits cannot be met, suitable respirator equipment shall be worn.
- Hand protection
- Remarks : Impervious gloves
- Eye protection : Chemical resistant goggles must be worn.
Face-shield
- Skin and body protection : Rubber apron
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Wear suitable gloves and eye/face protection.
Wear suitable protective clothing.
Wash hands and face before breaks and immediately after handling the product.
Provide adequate ventilation.
Do not inhale fumes.
Keep away from food and drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

PYRENE[®] US 1002

Version 0.1

Revision Date 06/03/2015

Print Date 06/03/2015

Appearance	: liquid
Colour	: light yellow
Odour	: surfactant
pH	: 13, +/- 0.5
Freezing point	: 0 °C
Boiling point/boiling range	: no data available
Flash point	: does not flash
Evaporation rate	: 1 Water = 1
Upper explosion limit	: Not applicable.
Lower explosion limit	: Not applicable.
Vapour pressure	: no data available
Relative density	: 1.146
Bulk density	: 9.56 lb/gal
Solubility(ies)	
Water solubility	: completely soluble
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	: freezing Direct sources of heat.
Incompatible materials	: Acids
Hazardous decomposition products	: Carbon oxides Phosphorus Oxides Hydrogen when reacts with certain metal.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

PYRENE[®] US 1002

Version 0.1

Revision Date 06/03/2015

Print Date 06/03/2015

Acute oral toxicity	: Acute toxicity estimate : 4,471.000000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 40.000000 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000.000000 mg/kg Method: Calculation method

Components:**Trade Secret Registry:**

Acute oral toxicity	: LD50 rat: 2,080.000000 mg/kg
Acute dermal toxicity	: LD50 rabbit: > 4,640.000000 mg/kg

Potassium hydroxide:

Acute oral toxicity	: LD50 rat: 273.000000 mg/kg LD50 rat: 365.000000 mg/kg
Acute dermal toxicity	: LD50 rabbit: 1,260.000000 mg/kg
Trade Secret Registry:	
Acute oral toxicity	: LD50 rat: 4,090.000000 mg/kg LD50 mouse: 6,600.000000 mg/kg

Acute inhalation toxicity	: LC50 rat: 2.300000 mg/l Exposure time: 4 h Test atmosphere: dust/mist LC50 mouse: 1.200000 mg/l Exposure time: 2 h Test atmosphere: dust/mist
---------------------------	--

Skin corrosion/irritation**Components:****Trade Secret Registry:**

Result: Skin irritation

Potassium hydroxide:

Result: Corrosive

Serious eye damage/eye irritation**Components:****Trade Secret Registry:**

PYRENE® US 1002

Version 0.1

Revision Date 06/03/2015

Print Date 06/03/2015

Species: rabbit
Result: Eye irritation

Potassium hydroxide:
Result: Corrosive

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

no data available

Bioaccumulative potential**Product:**

Partition coefficient: n-
octanol/water : Remarks: no data available

Other adverse effects

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Refer to all federal, provincial, state and local regulation prior to disposition of container and unused contents by reuse, recycle or disposal.

PYRENE[®] US 1002

Version 0.1

Revision Date 06/03/2015

Print Date 06/03/2015

SECTION 14. TRANSPORT INFORMATION**International regulation****Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

National Regulations**SECTION 15. REGULATORY INFORMATION**

TSCA Status : All components of this material comply with US TSCA requirements.

OSHA Hazards : Toxic by inhalation., Toxic by ingestion, Harmful by skin absorption., Corrosive to skin, Moderate eye irritant

WHMIS Classification : E: Corrosive Material
D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Potassium hydroxide	1310-58-3	1,000	20,202

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:
Diethylene glycol methyl ether 111-77-3

US State Regulations**Massachusetts Right To Know**

Potassium hydroxide	1310-58-3
Diethylene glycol methyl ether	111-77-3

Pennsylvania Right To Know

water	7732-18-5
Complex, Organic Phosphate Ester	39464-70-5
Trade Secret Registry	735517-5127P
Potassium hydroxide	1310-58-3
Trade Secret Registry	735517-5122P
Diethylene glycol methyl ether	111-77-3

PYRENE[®] US 1002


Version 0.1

Revision Date 06/03/2015

Print Date 06/03/2015

New Jersey Right To Know

water	7732-18-5
Complex, Organic Phosphate Ester	39464-70-5
Trade Secret Registry	735517-5127P
Potassium hydroxide	1310-58-3
Trade Secret Registry	735517-5122P
Diethylene glycol methyl ether	111-77-3

NFPA:**HMIS III:**

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
 2 = Moderate, 3 = High
 4 = Extreme, * = Chronic

Corrosive Alkaline

 Splash Goggles, Gloves, Apron, Dust
 and Vapour Respirator
SECTION 16. OTHER INFORMATION**Further information**

Version 1.0

Revision Date 06/03/2015

Chemetall US, Inc. warrants that the products described herein will conform with its published specifications.

The products supplied by Chemetall and information related to them are intended for use by buyers having necessary industrial skill and knowledge. Buyers should undertake sufficient verification and testing to determine the suitability of the Chemetall materials for their own particular purpose. Since buyer's conditions of use of products are beyond Chemetall's control, Chemetall does not warrant any recommendations and information for the use of such products. CHEMETALL DISCLAIMS ALL OTHER WARRANTIES INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR ANY PARTICULAR PURPOSE IN CONNECTION WITH THE USE OF ITS PRODUCTS.