

SAFETY DATA SHEET

Issue Date 08-Jun-2015 Revision Date 15-Jun-2015 Version 1

1. IDENTIFICATION

Product identifier

Product Name CM-6004

Other means of identification

Product Code CM-6004
UN/ID no. UN1760
Synonyms None

Recommended use of the chemical and restrictions on use
Recommended Use Conversion Coating.
Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

Chemical Methods, Inc. 20338 Progress Drive Cleveland, OH 44149 Telephone: (216)476-8400

Emergency telephone number

Company Phone Number (216)476-8400

24 Hour Emergency Phone Number CHEMTREC (800)424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

Label elements

Emergency Overview

Warning

Hazard statements

Causes skin irritation Causes serious eye irritation



Appearance Clear Physical state liquid Odor Slight

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Organosilane	Proprietary	1 - 5	*
Hexafluorozirconic acid	12021-95-3	0.1 - 1	*
Hydrogen fluoride	7664-39-3	<0.1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Inhalation Move person to fresh air; if effects continue consult a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Consult a physician if

necessary.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products During a fire, smoke may contain combustion products of varying composition which may

be toxic and/or irritating. Combustion products may include oxides of nitrogen, sulfur,

phosphorous and carbon.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Large Spills: Dike area to contain spill and pump into properly labeled containers. Small

Spills: Clean up with absorbent material and collect in suitable containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Exposure limits are listed below, if they exist.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hexafluorozirconic acid	STEL: 10 mg/m³ Zr	TWA: 5 mg/m³ Zr	IDLH: 25 mg/m ³ Zr
12021-95-3	TWA: 5 mg/m³ Zr	(vacated) TWA: 5 mg/m³ Zr	TWA: 5 mg/m³ except Zirconium
	_	(vacated) STEL: 10 mg/m ³ Zr	tetrachloride Zr
			STEL: 10 mg/m ³ Zr
Hydrogen fluoride	TWA: 0.5 ppm F TWA: 2.5 mg/m ³ F	TWA: 3 ppm F TWA: 2.5 mg/m ³ F	IDLH: 30 ppm
7664-39-3	S*	TWA: 2.5 mg/m ³ dust	Ceiling: 6 ppm 15 min
	Ceiling: 2 ppm F	(vacated) TWA: 3 ppm F (vacated)	Ceiling: 5 mg/m ³ 15 min
		TWA: 2.5 mg/m ³	TWA: 3 ppm
		(vacated) STEL: 6 ppm F	TWA: 2.5 mg/m ³

Appropriate engineering controls

Engineering Controls

Use local exhaust ventilation, or other engineering controls to maintain airborne levels

below exposure limit guidelines. If there are no applicable exposure limit guidelines,

general ventilation should be sufficient for most operations.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Odor

Remarks • Method

Slight

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid
Appearance Clear

Color colorless Odor threshold No information available

Property Values

pH 2.8

Melting point / freezing point

Soliing point / boiling range

Flash point

Evaporation rate

Flammability (solid, gas)

Solid Preezing point

Solid Preezing Preezing Preezing

Solid Preezing Preezing Preezing

Solid Preezing Preezing Preezing

Solid Preezing Preezing Preezing

Solid Preezing

Solid Preezing Preezing

Solid Preezing

Solid Preezing Preezing

Solid Preezing Preezing

Solid Preezi

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Relative density 1.005

Water solubility Miscible in water

No information available Solubility in other solvents No information available Partition coefficient **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available No information available **Explosive properties** No information available **Oxidizing properties**

Other Information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information availableDensityNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Revision Date 15-Jun-2015

CM-6004 - CM-6004

Chemical stability

Storage containers may build up pressure if stored for long periods of time or in areas of elevated temperature. Containers should be equipped with vented caps.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Strong bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No acute toxicity information is available for this product

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen fluoride	-	-	= 1276 ppm (Rat)1 h
7664-39-3			

Information on toxicological effects

Symptoms Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration hazardNo information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 38,168.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

99.99 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydrogen fluoride	-	660: 48 h Leuciscus idus mg/L	270: 48 h Daphnia species mg/L
7664-39-3		LC50	EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Hydrogen fluoride	-1.4
7664-39-3	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Hydrogen fluoride	U134	-	-	U134
7664-39-3				

14. TRANSPORT INFORMATION

DOT Regulated UN1760

Hazard Class Corrosive Liquid, n.o.s. contains hexafluorozirconic acid

Packing Group III

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA DSL/NDSL** Complies **EINECS/ELINCS** Complies Does not comply **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen fluoride 7664-39-3	100 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen fluoride	100 lb	100 lb	RQ 100 lb final RQ
7664-39-3			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and Chemical

Properties -

Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X

 Issue Date
 08-Jun-2015

 Revision Date
 15-Jun-2015

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. While we believe the contained data is factual and those of qualified experts, the data should not be taken as a warranty or representation for which the company assumes legal responsibility. Any use of the data and information must be determined by the user to be in accordance with applicable federal, state, and local laws and regulations. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This product is intended for industrial use only.

End of Safety Data Sheet