Printing date 04/16/2015

Reviewed on 04/16/2015

# **1** Identification

· Product identifier

#### · Trade name: ULTIMATE CUTTER & SCRATCH REMOVER

- · Article number: P-27
- · Application of the substance / the mixture Polishing agent/ Burnishing compound
- $\cdot$  Details of the supplier of the safety data sheet

• Manufacturer/Supplier: BAF Industries 8010 Dixie Highway Florence, KY 41042 USA phone: 859-372-5900

· Information department: msds\_info@prowax.com

# 2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Carc. 1A H350 May cause cancer.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

- *R48:* Danger of serious damage to health by prolonged exposure.
- · Information concerning particular hazards for human and environment:
- The product has to be labeled due to the calculation procedure of international guidelines. • Classification system:
- The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- · Label elements
- · GHS label elements
- *The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



- · Signal word Danger
- Hazard-determining components of labeling: silica
  Hazard statements May cause cancer.
  Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

*IF exposed or concerned: Get medical advice/attention.* 

Store locked up.


Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 04/16/2015

Reviewed on 04/16/2015

### Trade name: ULTIMATE CUTTER & SCRATCH REMOVER



# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
64742-88-7	medium aliphatic hydrocarbon	10-25%
	🗙 Xn R65	
	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304	
64742-47-8	Distillates (petroleum), hydrotreated light	10-25%
	🗙 Xn R65	
	🚸 Asp. Tox. 1, H304; H227	
14808-60-7		2.5-10%
	<b>X</b> <i>N R</i> 20-48	
	🚸 Carc. 1A, H350; 🚸 Acute Tox. 4, H332	
102-71-6	2,2',2"-nitrilotriethanol	<i>≤</i> 2.5%
111-42-2	2,2'-iminodiethanol	≤ 2.5%
	🗙 Xn R22-48/22; 🗙 Xi R38-41	
	♦ Carc. 2, H351; STOT RE 2, H373; ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315	

### 4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

USA

Printing date 04/16/2015

Reviewed on 04/16/2015

#### Trade name: ULTIMATE CUTTER & SCRATCH REMOVER

(Contd. of page 2)

# **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
  Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 8 for information on personal protection equi
- See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

- · Components with limit values that require monitoring at the workplace:
- 14808-60-7 silica
- PEL see Quartz listing
- REL Long-term value: 0.05\* mg/m<sup>3</sup>
- \*respirable dust; See Pocket Guide App. A
- TLV Long-term value: 0.025\* mg/m<sup>3</sup> \*as respirable fraction

#### 102-71-6 2,2',2''-nitrilotriethanol

TLV Long-term value: 5 mg/m<sup>3</sup>

(Contd. on page 4)

ISA

Printing date 04/16/2015

Reviewed on 04/16/2015

(Contd. of page 3)

#### Trade name: ULTIMATE CUTTER & SCRATCH REMOVER

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/

the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

Information on basic physical and c	hemical properties	
General Information		
Appearance: Form:	Liquid	
Form: Color:	Liquid Whitish	
Odor:	Solvent-like	
Odour threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	9.1	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	41 °C (106 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	210 °C (410 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	0.8 Vol %	
Upper:	6.0 Vol %	
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
Density at 20 °C (68 °F):	1.1503 g/cm <sup>3</sup> (9.599 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	

USA

Printing date 04/16/2015

Reviewed on 04/16/2015

#### Trade name: ULTIMATE CUTTER & SCRATCH REMOVER

		(Contd. of page 4
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
<i>Dynamic at 20 °C (68 °F):</i>	13000 mPas	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	28.1 %	
Water:	32.4 %	
VOC content:	14.9 %	
Solids content:	39.5 %	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

#### · Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

64742-88-7 medium a			aliphatic hydrocarbon
		LD50	>6500 mg/kg (rat)
		LD50	>3000 mg/kg (rab)
	* * * *	TOTOVII	14 11 ( )

Inhalative LC50/4 h > 14 mg/l (rat)

# · Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

 $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
14808-60-7 silica	1		
102-71-6 2,2',2"-nitrilotriethanol	3		
111-42-2 2,2'-iminodiethanol	2B		
· NTP (National Toxicology Program)			
14808-60-7 silica	K		
(Contd.	on page 6)		

Printing date 04/16/2015

Reviewed on 04/16/2015

Trade name: ULTIMATE CUTTER & SCRATCH REMOVER

(Contd. of page 5)

# · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
·DOT	NA1993
· ADR, ADN, IMDG	Void
·IATA	UN1993
· UN proper shipping name	
· DOT	COMBUSTIBLE LIQUID, N.O.S (medium aliphati hydrocarbon, Distillates (petroleum), hydrotreated light)
· ADR, ADN, IMDG	Void
·IATA	FLAMMABLE LIQUID, N.O.S. (medium aliphatic hydrocarbor Distillates (petroleum), hydrotreated light)
· Transport hazard class(es)	
·DOT	
COMBUSTIBLE 3	
· Class	3 Combustible liquids
· Label	3

Printing date 04/16/2015

Reviewed on 04/16/2015

### Trade name: ULTIMATE CUTTER & SCRATCH REMOVER

	(Conto	l. of page
ADR, ADN, IMDG Class	Void	
IATA		
Class	3 Combustible liquids	
Label	3	
Packing group		
DOT, IATA	III	
ADR, IMDG	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	c II of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 60 L	
~ ·	On cargo aircraft only: 220 L	
UN ''Model Regulation'':	-	

# **15 Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- 1344-28-1 aluminium oxide
- 111-42-2 2,2'-iminodiethanol
- TSCA (Toxic Substances Control Act) All ingredients are listed • Proposition 65
- · Chemicals known to cause cancer:
- 14808-60-7 silica
  - 111-42-2 2,2'-iminodiethanol
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- Chemicals known to cause developmental toxicity: None of the ingredients is listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.

(Contd. on page 8)

USA

USA

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/16/2015

Reviewed on 04/16/2015

#### Trade name: ULTIMATE CUTTER & SCRATCH REMOVER

	(Contd. of page 7)
· TLV (Threshold Limit Value established by ACGIH)	
1344-28-1 aluminium oxide	A4
14808-60-7 silica	A2
111-42-2 2,2'-iminodiethanol	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
14808-60-7 silica	

· GHS label elements

*The product is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms* 



GHS08

· Signal word Danger

- · Hazard-determining components of labeling:
- silica
- · Hazard statements

May cause cancer.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Date of preparation / last revision 04/16/2015 / 3

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 3: Flammable liquids, Hazard Category 3 : Flammable liquids, Hazard Category 4 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 (Contd. on page 9)

Printing date 04/16/2015

Reviewed on 04/16/2015

Trade name: ULTIMATE CUTTER & SCRATCH REMOVER

Carc. 1A: Carcinogenicity, Hazard Category 1A Carc. 2: Carcinogenicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 • \* Data compared to the previous version altered. (Contd. of page 8)

USA