

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): **Product Division:**

CITRO SHIELD FURNITURE POLISH (AEROSOL) Janitorial

Product Number: 6120

Product/Technical 1-(800)-537-8990 Information: Spartan Chemical Company, Inc.

Medical Emergency:1-(888)-314-6171 (24 hours) 1110 Spartan Drive

Chemical Leak/Spill CHEMTREC 1-(800) 424-9300 (24 hours)
Emergency: Maumee OH 43537

Shipping Desc	cription: ORM-D, Consumer commodity	iergeney.	
NFPA Ratings:		HMIS Ratings:	
Health:	0 - Minimal	Health:	0 - Minimal
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	1- Slight	Reactivity:	1- Slight
		Pers. Prot. Equip.:	See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

		Table Z- 1 - A		NTP, IARC		
		CAS Registry			CELING	or OSHA
Chemical Name(s)	% W	No.	TWA mg/m ³	STEL mg/m ³	mg/m ³	Carcinogen
Isobutane	1-5	75-28-5	1800 (ACGIH)	Not Established	Not Established	No
Silicon emulsion	1-5	Proprietary	Not Established	Not Established	Not Esatblished	No
Lemon oil	1-5	8008-56-8	Not Established	Not Established	Not Established	No
Synthetic wax	1-5	Proprietary	Not Established	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point:	(Concentrate) 210 °F	Vapor Pressure:	Unknown	
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Emulsifiable	
pH:	8.0-9.0	Specific Gravity (H ₂ O=1):	0.98 (Concentrate)	
Evaporation Rate (but.ace.=1):	1	Percent Solid by Weight:		
•	Pressurized liquid (Aerosol can)			
Appearance & Odor: White emulsion, lemon fragrance				

▼SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	(Concentrate) >210°F	Method Used:	Estimate
Flammable Limits:	Not Established	Flame Extension:	0 Inches NFPA 30B Level 1 Aerosol
Extinguishing Media	Carbon dioxide, dry chemical,	water fog, foam.	
Special Fire Fighting Procedures: Water may be used to cool closed containers to prevent pressure build-up and possi rupture when exposed to heat. Wear a full face positive pressure self contained brea apparatus when fighting fires. Use equipment or shielding to protect personnel agai bursting, rupturing or venting containers.			essure self contained breathing
Unusual Fire & Explosive Hazards	At elevated temperatures (120 °	°F /49 °C) containers may v	vent, rupture or burst.

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established		Inhalation, Skin Contact, Eyes and Ingestion
	May cause mild eye and skin irritation. May be harmful if swallowed. Inhalation of product mist may cause respiratory irritation. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not swallow. Avoid breathing product mist. Wash thoroughly after handling.		
Conditions Aggravated by Use	Use of this product may aggravate preexisting skin; eye; and respiratory disorders including asthma and dermatitis.		

Emergency & First Aid Procedures:

	Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention if irritation persists.
Skin:	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.
	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. Get medical attention if irritation persists.

SECTION VI: REACTIVITY DATA

Stability: St	table	Incompatible Materials:	Strong oxidizers
Hazardous Decomposition Products:	Vone	Hazardous Polymerization:	Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case	Soak up with absorbent material and transfer to containers for disposal. Rinse area with
Material is Released or Spilled:	water and flush to sanitary sewer. Keep spill out of storm sewers and waterways.
1	Do not puncture or incinerate aerosol containers. Dispose of in accordance with federal, state and local regulations.

▼SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided.

	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	None required. Wear rubber or other impervious gloves for prolonged or repeated contact.
Eye Protection(Specify Type):	None required.
Other Protective Equipment:	For further guidance see 29 CFR 1910.132-138

SECTION IX: SPECIAL PRECAUTIONS

	Contents under pressure. Do not use near fire, sparks or flame. Do not store where temperatures could exceed 120 F. Do not puncture or incinerate container.
Other Precautions:	Keep out of reach of children.

© SCC 06/08/2009 Name: Ronald T. Cook Title: Manager, Regulatory Affairs

CITRO SHIELD FURNITURE POLISH Effective 06/08/2009 Supercedes: 12/14/2005

EROSOL) Date:

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Section I

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.