Material Safety Data Sheet	U.S. Department of Labor			
May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.	Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218- 0072			
IDENTITY (as Used on Label and List) Odor-End Emergency Clean- up Powder	Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.			
Section I				
Manufacturer's name:	Emergency Telephone			
CDC Odor-End Products	Number: 518-638-6343			
Address (Number, Street, City, State and ZIP Code)	Telephone Number for Information: 1-877-ODOR-END			
477 County Rte. 45	Date Prepared 09/12/09			
Argyle, NY 12809	Signature of Preparer (optional)			
Section II— Hazardous Ingredients/Identity Information				
Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
NOTE: COMPONENTS ARE LISTED IN THIS SECTION IF THEY PRESENT A PHYSICAL OR HEALTH HAZARD AND ARE PRESENT AT OR ABOVE 1% IN THE MIXTURE. COMPONENTS IDENTIFIED AS CARCINOGENS BY NTP, IARC, AND OSHA ARE LISTED IF THEY				

ARE PRESENT AT OR ABOVE 0.1% IN THE MIXTURE.  NON-HAZARDOUS INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-5014P  Section III—Physical/Chemical Characteristics Boiling Point N/A Specific Gravity (H <sub>2</sub> 0 = 0.730-0.781 N/A Welling Point N/A Wapor Density (AIR = 1) N/A Melling Point N/A Solubility in Water NEGUCIBLE Appearance and Odor: Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE. Section III—Physical/Chemical Characteristics  N/A Solubility in Water NEGUCIBLE Appearance and Odor: Appearance and Odor: Section IV—Fire and Explosion Hazard Data Flammable Limits: N/A LEL: N/A UEL: N/A UEL: N/A LEL: N/A UEL: N/A UEL: N/A LEL: N/A UEL: N/A Significal Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SUPPERY WHEN WET.	OR ABOVE 0.1% IN THE MIXTURE.  NON-HAZARDOUS INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
IN THE MIXTURE.  NON-HAZARDOUS INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-5014P  Section III—Physical/Chemical Characteristics Boiling Foint N/A Specific Gravity (H <sub>2</sub> O = 0.730-0.781 Vapor Pressure (mm Hg) N/A Melting Point N/A Vapor Pressure (mm Hg) N/A Melting Point N/A Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANNLER POWDER WITH FRAGRANCE. Section IV—Fire and Explosion Hazard Data Presspring Media: CO2. WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SUPPERY WHEN WET.	NON-HAZARDOUS INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
NON-HAZARDOUS INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics Boiling Point N/A Sipor Pressure (mm Hg) N/A Melting Point N/A Vapor Density (AIR = 1) N/A Vapor Density (AIR = 1) N/A Vapor Density (AIR = 1) N/A Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE. Section IV—Fire and Explosion Hazard Data Filammable Limits: N/A LEL: N/A LEL	NON-HAZARDOUS INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics Boiling Point N/A Specific Gravity (H <sub>2</sub> 0 = 0.730-0.781  N/A Vapor Pressure (mm Hg) N/A Melting Point N/A Vapor Density (AIR = 1) N/A Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE. Section NY—Fire and Explosion Hazard Data Flash Point (Method Used: N/A Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SUPPERY WHEN WET.	INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics Boiling Point N/A Specific Gravity (H <sub>2</sub> 0 = 0.730-0.781  N/A Vapor Pressure (mm Hg) N/A Melting Point N/A Vapor Density (AIR = 1) N/A Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE. Section NY—Fire and Explosion Hazard Data Flash Point (Method Used: N/A Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SUPPERY WHEN WET.	INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics Boiling Point N/A Specific Gravity (H <sub>2</sub> 0 = 0.730-0.781  N/A Vapor Pressure (mm Hg) N/A Melting Point N/A Vapor Density (AIR = 1) N/A Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE. Section NY—Fire and Explosion Hazard Data Flash Point (Method Used: N/A Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SUPPERY WHEN WET.	INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics Boiling Point N/A Specific Gravity (H <sub>2</sub> 0 = 0.730-0.781 N/A Vapor Pressure (mm Hg) N/A Melting Point N/A Vapor Density (AIR = 1) N/A Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE. Section NY—Fire and Explosion Hazard Data Flash Point (Method Used: N/A Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SUPPERY WHEN WET.	INGREDIENTS AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics Boiling Point Vapor Pressure (mm Hg) N/A  Vapor Density (AIR = 1) N/A  Vapor Density (AIR = 1) N/A  Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE. Section IV—Fire and Explosion Hazard Data Thish Point (Method Used): N/A  Eltimpushing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SUPPERY WHEN WET.	AND CAS NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-5014P  Section III—Physical/Chemical Characteristics Boiling Point N/A Specific Gravity (H <sub>2</sub> 0 = 0.730-0.781    Vapor Pressure (mm Hg) N/A Melting Point N/A    Vapor Density (AIR = 1) N/A Evaporation Rate (Butyl Acetate = 1) N/A    Solubility in Water NEGLIGIBLE    Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE. Section IV—Fire and Explosion Hazard Data Flash Point (Method Used): N/A Flammable Limits: N/A LEL: N/A UEL: N/A UEL: N/A UEL: N/A Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SUPPERY WHEN WET.	NUMBERS ARE PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics  Boiling Point  N/A  Vapor Pressure (mm Hg)  N/A  Welling Point  N/A  Vapor Density (AIR = 1)  N/A  Solubility in Water NEGLIGIBLE  Appearance and Odor: WHITE FINE GRANNULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Flammable Limits: N/A  LEL: N/A	PROTECTED UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics  Boiling Point  N/A  Vapor Pressure (mm Hg)  N/A  Melting Point  N/A  Vapor Density (AIR = 1)  N/A  Solubility in Water NEGLIGIBLE  Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extra Color IV—Fire and Explosion Hazard Data  Flash Point (Method Data  Flash Point (Method Data  Section IV—Fire fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	UNDER THE TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
TRADE SECRET REGISTRY: NJ TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics  Boiling Point N/A Napor Pressure (mm Hg) N/A Nelling Point N/A N/A Nour Density (AIR = 1) N/A Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE. Section IV—Fire and Explosion Nazard Data Flash Point (Method Used): N/A Flammable Limits: N/A LEL: N/A L	TRADE SECRET REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
REGISTRY: NJ TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics  Boiling Point N/A Specific Gravity (H <sub>2</sub> 0 = 0.730-0.781 1) Vapor Pressure (mm Hg) N/A Melting Point N/A  Vapor Density (AIR = 1) N/A Evaporation Rate (Butyl Acetate = 1)  N/A Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data Cused): N/A Flammable Limits: N/A LEL: N/A UEL: N/A  Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	REGISTRY: NJ TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
TSRN 80100021- 5014P  Section III— Physical/Chemical Characteristics  Boiling Point  Vapor Pressure (mm Hg)  N/A  Solubility in Water NEGLIGIBLE  Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	TSRN 80100021-		Specific Gravity (H <sub>2</sub> 0 =		
Section III— Physical/Chemical Characteristics  Bolling Point Vapor Pressure (mm Hg) Vapor Density (AIR = 1) Vapor Density (AI			Specific Gravity (H <sub>2</sub> 0 =		
Section III— Physical/Chemical Characteristics  Specific Gravity (H <sub>5</sub> 0 = 0.730-0.781  Vapor Pressure (mm Hg) N/A Melting Point N/A  Vapor Density (AIR = 1) N/A Evaporation Rate (Butyl Acetate = 1)  Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE. Section IV—Pire and Explosion Hazard Data Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	5014P		Specific Gravity (H <sub>2</sub> 0 =		
Physical/Chemical Characteristics  Boiling Point  N/A  N/A  Nelting Point  N/A  Welting Point  N/A  Vapor Pressure (mm Hg)  N/A  Welting Point  N/A  Evaporation Rate (Butyl Acetate = 1)  N/A  Solubility in Water  NEGLIGIBLE  Appearance and Odor:  WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.			Specific Gravity (H <sub>2</sub> 0 =		
Physical/Chemical Characteristics  Boiling Point  N/A  N/A  Nelting Point  N/A  Welting Point  N/A  Vapor Pressure (mm Hg)  N/A  Welting Point  N/A  Evaporation Rate (Butyl Acetate = 1)  N/A  Solubility in Water  NEGLIGIBLE  Appearance and Odor:  WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.			Specific Gravity (H₂0 =		
Physical/Chemical Characteristics  Boiling Point  N/A  N/A  Nelting Point  N/A  Welting Point  N/A  Vapor Pressure (mm Hg)  N/A  Welting Point  N/A  Evaporation Rate (Butyl Acetate = 1)  N/A  Solubility in Water  NEGLIGIBLE  Appearance and Odor:  WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.			Specific Gravity (H <sub>2</sub> 0 =		
Physical/Chemical Characteristics  Boiling Point  N/A  N/A  Nelting Point  N/A  Welting Point  N/A  Vapor Pressure (mm Hg)  N/A  Welting Point  N/A  Evaporation Rate (Butyl Acetate = 1)  N/A  Solubility in Water  NEGLIGIBLE  Appearance and Odor:  WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.			Specific Gravity (H <sub>2</sub> 0 =		
Physical/Chemical Characteristics  Boiling Point  N/A  N/A  Nelting Point  N/A  Welting Point  N/A  Vapor Pressure (mm Hg)  N/A  Welting Point  N/A  Evaporation Rate (Butyl Acetate = 1)  N/A  Solubility in Water  NEGLIGIBLE  Appearance and Odor:  WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.			Specific Gravity (H <sub>2</sub> 0 =		
Physical/Chemical Characteristics  Boiling Point  N/A  N/A  Nelting Point  N/A  Welting Point  N/A  Vapor Pressure (mm Hg)  N/A  Welting Point  N/A  Evaporation Rate (Butyl Acetate = 1)  N/A  Solubility in Water  NEGLIGIBLE  Appearance and Odor:  WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.			Specific Gravity (H <sub>2</sub> 0 =		
Characteristics Boiling Point N/A Specific Gravity (H <sub>2</sub> 0 = 1) N/A Wapor Pressure (mm Hg) N/A Wapor Density (AIR = 1) N/A Wapor Density (AIR = 1) N/A Wapor Density (AIR = 1) N/A  Solubility in Water NEGLIGIBLE Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data Flash Point (Method Used): N/A  Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.			Specific Gravity (H <sub>2</sub> 0 =		
Boiling Point N/A Specific Gravity (H₂0 = 1) 0.730-0.781  Vapor Pressure (mm Hg) N/A Melting Point N/A  Vapor Density (AIR = 1) N/A Evaporation Rate (Butyl Acetate = 1) N/A  Solubility in Water NECLIGIBLE  Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Section IV—Fire and Used): N/A  Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Characteristics		Specific Gravity (H <sub>2</sub> 0 =		
Vapor Pressure (mm Hg) Vapor Density (AIR = 1) Vapor D			Specific Gravity (H <sub>2</sub> U =		
Vapor Pressure (mm Hg)  N/A  Melting Point  N/A  Evaporation Rate (Butyl Acetate = 1)  N/A  Solubility in Water  NEGLIGIBLE  Appearance and Odor:  WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Boiling Point N	1/8		0.730-0.781	
Vapor Density (AIR = 1)  Vapor Density (AIR = 1)  N/A  Evaporation Rate (Butyl Acetate = 1)  N/A  Solubility in Water NEGLIGIBLE  Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Vapor Pressure (mm Hg)	17/1		NI/A	
Vapor Density (AIR = 1)  N/A  Acetate = 1)  Acetate = 1)  N/A  Acetate = 1)  Acet		I/A		IN/A	
Solubility in Water NEGLIGIBLE  Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media: CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Vapor Density (AIR = 1)	1/A		NI/A	
NEGLIGIBLE  Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	N/	I/A	Acetate = 1)	N/A	
NEGLIGIBLE  Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Solubility in Water				
Appearance and Odor: WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.					
WHITE FINE GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM  Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	NEGLIGIBLE				
GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM  Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Appearance and Odor:				
GRANULAR POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM  Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	WHITE FINE				
POWDER WITH FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM  Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.					
FRAGRANCE.  Section IV—Fire and Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.					
Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM  Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.					
Explosion Hazard Data  Flash Point (Method Used): N/A  Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM  Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Section IV—Fire and				
Data Flash Point (Method Used): N/A Flammable Limits: N/A LEL: N/A LEL: N/A  UEL: N/A					
Used): N/A  Flammable Limits: N/A  LEL: N/A  UEL: N/A  UEL: N/A  UEL: N/A  UEL: N/A  UEL: N/A  LEL: N/A  UEL: N/A  U					
Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM  Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Flash Point (Method				
Extinguishing Media:  CO2, WATER, DRY CHEMICALS, FOAM  Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Used): N/A	lammable Limits: N/A	LEL: N/A	UEL: N/A	
CO2, WATER, DRY CHEMICALS, FOAM Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	·				
CHEMICALS, FOAM  Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Extinguishing Media:				
CHEMICALS, FOAM  Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	CO2, WATER, DRY				
Special Fire Fighting Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	CHEMICALS,				
Procedures AVOID STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	FOAM				
STRONG OXIDIZING AGENTS. BECOMES SLIPPERY WHEN WET.	Special Fire Fighting				<u> </u>
AGENTS. BECOMES SLIPPERY WHEN WET.	Procedures AVOID				
AGENTS. BECOMES SLIPPERY WHEN WET.	STRONG OXIDIZING				
SLIPPERY WHEN WET.					
Unusual Fire and	SLIPPERY WHEN WET.				
Unusual Fire and					<u> </u>
	Unusual Fire and				+
Explosion Hazards:					
	·				
KEEP AWAY					
ED ON LUE A T					
FROM HEAT,	SPARKS AND			I .	I .

OPEN FLAMES.		

Section V—Reactivity Data			
Stability	Unstable		Conditions to Avoid: N/A
	Stable	X	
Incompatibility (Materials to		^	
Avoid): HYDROFLUORIC ACID			
AND STRONG OXIDIZING			
AGENTS.			
Hazardous Decomposition or			
Byproducts: OXIDES OF			
CARBON MAY OCCUR UPON INCOMPLETE COMBUSTION.			
Hazardous Polymerization	May Occur		Conditions to Avoid: N/A
	Will Not Occur	X	
Section VI—Health Hazard Data			
	Inhalation?		
Route(s) of Entry	PRIMARY	Skin?	Ingestion?
Health Hazards (Acute and			
Chronic)			
SKIN AND EYE: SLIGHT IRRITATION. AVOID HIGH DUST CONCENTRATIONS. INHALATION: INHALING DUST MAY CAUSE NASAL AND RESPIRATORY PASSAGE IRRITATION. INGESTION: NOT DETERMINED. HOWEVER, SOME GASTROINTESTINAL DISCOMFORT MAY OCCUR.			
Carcinogenicity	NTP?	IARC Monographs?	OSHA Regulated?
	NO	NO	NO
Signs and Symptoms of			
Exposure NOT DETERMINED			
Medical Conditions Generally Aggravated by Exposure: PRE- EXISTING UPPER RESPIRATORY AND LUNG DISEASE SUCH AS BUT NOT LIMITED TO BRONCHITIS, EMPHYSEMA, AND ASTHMA.			

Emergency and First Aid			
Procedures:			
EVEO AND OWN			
EYES AND SKIN:			
THOROUGHLY FLUSH			
WITH WATER.			
INHALATION: REMOVE			
PERSON TO FRESH			
AIR. INGESTION:			
DRINK COPIOUS			
AMOUNTS OF WATER.			
Section VII—Precautions			
for Safe Handling and Use			
Steps to Be Taken in Case			
· ·			
Material Is Released or Spilled			
VACUUM IF POSSIBLE			
TO AVOID GENERATED			
AIRBORNE DUST.			
AVOID BREATHING			
DUST. USE DUST			
SUPPRESSING AGENT			
IF POSSIBLE. IF			
MATERIAL BECOMES			
WET AND GELLED,			
SHOVEL UP OR HOSE			
DOWN WITH COPIOUS			
AMOUNTS OF WATER.			
Waste Disposal Method:			
DISPOSE OF			
MATERIALS IN CLOSED			
CONTAINERS AND			
COMPLY WITH			
FEDERAL, STATE AND			
LOCAL REGULATIONS.			
Precautions to Be Taken in			
Handling and Storing:			
Transming and Greening.			
AVOID BREATHING			
DUST. SORE IN A			
COOL DRY PLACE.			
PROTECT FROM			
MOISTURE. KEEP OUT			
OF REACH OF			
CHILDREN. PERSONS			
APPLYING LARGE			
AMOUNTS OF			
PRODUCT SHOULD			
WEAR APPOINTED			
DUST MASKS AND			
GOGGLES.			
Other Precautions: SLIPPERY			
WHEN WET.			
Section VII—Control			
Measures			
Respiratory Protection (Specify			
Type): WEAR OSHA			
APPROVED			
RESPIRATOR OR MASK			
WHEN HANDLING			
	1	l	

LARGE VOLUMES OF MATERIAL.			
Ventilation	Local Exhaust: OPTIONAL	Special N/A	
	Mechanical (General) N/A	Other N/A	
Protective Gloves: WHEN	Eye Protection: PROTECTIVE		
HANDLING LARGE	GOGGLES WHEN HANDLING		
AMOUNTS	LARGE AMOUNTS.		
Other Protective Clothing or			
Equipment N/A			
Work/Hygienic Practices			
STANDARD WORK/HYGIENIC PRACTICES. WASH HARDS AND OTHER EXPOSED AREAS AFTER HANDLING.			

THE INFORMATION AND RECOMMENDATIONS IN THIS DATA SHEET ARE BELIEVED TO BE CORRECT AND RELIABLE. HOWEVER, THE DATA IS OFFERED FOR CONSIDERATION AND VERIFICATION BY THE USER AND CDC ODOR-END PRODUCTS OFFERS NO GUARANTEE, WARRANTY OR REPRESENTATION AS TO THE ACCURACY OR COMPLETENESS OF THE DATA.