MATERIAL SAFETY DATA SHEET

Aldon Corporation
221 Rochester Street
Avon, NY 14414
(585) 226-6177

MSDS No.: SS0035
Revision Date: January 12, 2012
Approved by: James A. Bertsch

MSDS No.: SS0035

Section 1 Chemical Product and Company Information

Product	**SALICYLIC ACID**
Synonyms	2-Hydroxybenzoic Acid

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

Section 2 Hazards Identification

Emergency Overview

WARNING!
HARMFUL IF SWALLOWED. IRRITANT.
Avoid contact with skin, eyes and clothing. Avoid inhalation of dust. Store in a cool, dry place. Wash thoroughly after handling.
Target organs: None known.

0 = Minimal
1 = Slight
2 = Moderate
3 = Serious
4 = Severe

Health	1
Fire	1
Reactivity	1
Contact	1

HMIS *

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	TLV Units (ACGIH 2001)
Salicylic acid	69-72-7	100%	None established.

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN CONTACT: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

General information: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Fire or excessive heat may produce hazardous decomposition products to be produced as dust or fume. Use water spray to keep fire-exposed containers cool. Dusts may form flammable and explosive mixtures in air.

Extinguishing Media: Use any media suitable for extinguishing supporting fire.
Flash Point: 157°C (315°F)
Autoignition temperature: 540°C (1004°F)
Explosion Limits: Lower: Ca 1.1% @ 20°C **Upper:** N/A

NFPA

0 = Minimal
1 = Slight
2 = Moderate
3 = Serious
4 = Severe



Section 6 Accidental Release Measures

Use proper personal protective equipment as indicated in Section 8. Remove all sources of ignition. Provide adequate ventilation. Recover for use if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water. Avoid runoff into storm sewers and ditches which lead to waterways.

Section 7 Handling & Storage GENERAL STORAGE CODE GREEN

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. For laboratory use only. Not for drug, food or household use. Keep out of reach of children.
Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale dusts. Wash thoroughly after handling. Remove and wash clothing before reuse.
Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Light sensitive. Protect from light and moisture.

Section 8 Exposure Controls / Personal Protection

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Physical state: Solid.
Appearance: White, crystalline powder.
Odor: No odor.
pH: N/A
Vapor pressure (mm Hg): 1 mm @ 114°C
Vapor Density (Air = 1): 4.8
Evaporation rate (Butyl acetate = 1): <1
Viscosity: N/A
Boiling point: 211°C (412°F)
Freezing / Melting point: 158-1615°C (316-321°F)
Decomposition temperature: 540°C (1004°F)
Solubility: Slight.
Specific gravity (H_2O = 1): 1.443 (20°/4°)
Percent volatile (%): Negligible.
Molecular formula: $C_7H_6O_3$
Molecular weight: 138.12

Section 10 Stability & Reactivity

Chemical stability: Stable
Hazardous polymerization: Will not occur.
Conditions to avoid: Excessive temperatures and heat. Light and moisture sensitive.

Incompatibilities with other materials: Strong oxidizers, iron salts, spirit nitrous ether, lead acetate and iodine.

Hazardous decomposition products: Oxides of carbon and phenol.

Section 11 Toxicological Information

Effects of overexposure: Material is irritating to mucous membranes and upper respiratory tract. Prolonged or repeated contact with skin may cause irritation or mild burns. Contact with eyes may cause severe irritation, pain, corneal injury. Harmful if swallowed. Symptoms of poisoning are nausea, vomiting, ringing in ears, dizziness, headache, dullness, confusion, sweating and rapid pulse. Exercise appropriate procedures to minimize potential hazards.

ORL-RAT LD50: 891 mg/kg
SKIN-MAN TDLo: 57 mg/kg

Section 12 Ecological Information

Data not yet available.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information

UN/NA number: N/A
Shipping name: **Not Regulated.**
Hazard class: N/A
Packing group: N/A
Exceptions: N/A

Section 15 Regulatory Information

TSCA-listed, EINECS-listed (200-712-3), DSL-listed.

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. * Hazardous Materials Industrial Standards.