

HAIR PERMANENT WAVES (3 TYPES) KIT

\*\*\* SECTION I: General Information (Product Manufacturer) \*\*\*

JEMS - SHEARS (HIKARI) Emer. Phone: (877) VER-NICO  
Info. Phone: (877) VER-NICO  
-0000 Date Prepared: 5/02/05  
EPA #: H=Haz/O=ORM-D: 0

\*\*\* SECTION II: Hazardous Ingredients/Identity Information \*\*\*

Hazardous Component	CAS Req #	OSHA PEL
HYDROGEN PEROXIDE	78966	NL
ACGIH TLV: NL	Other: NL	%: 5-6.0

\*\*\* SECTION III: Physical/Chemical Characteristics \*\*\*

Specific Gravity: 1.02 Method: H2O  
Vapor Pressure: NL Melting Point: NL  
Vapor Density: NA Evaporation Rate: NL  
Solubility in Water: SOLUBLE Boiling Point: 100C  
Appearance and Odor:  
APPEARANCE - CLEAR LIQUID  
ODOR - CHARACTERISTIC

\*\*\* SECTION IV: Fire and Explosion Hazard Data \*\*\*

Flash Point: NA F Flammable Limits: LEL NL  
Method: NL UEL NL

Extinguishing Methods:

FIRE EXTINGUISHING MATERIALS USE WATER, FOAM, DRY CHEMICALS OR CARBON DIOXIDE.

Special Fire Fighting Procedures:

NL

Unusual Fire and Explosion Hazards:

THIS MATERIAL IS NOT FLAMMABLE BUT COMBUSTIBLE.

\*\*\* SECTION V: Reactivity Data \*\*\*

Stability: Not Stable Corrosive? Polymerization?

Conditions to Avoid:

EXCESSIVE HEAT, SUNLIGHT, CONTAMINATION AND SPARK AND FLAME.

Incompatibility:

AVOID REDUCING MATERIALS, COMBUSTIBLE MATERIALS, METAL CONTAMINATION LIKE IRON, COPPER, AND THEIR ALLOYS.

Hazardous Decomposition or Byproducts:

NL

Hazardous Polymerization:

NL

-----  
\*\*\* SECTION V: Reactivity Data \*\*\* (cont.)

Polymerization Conditions:

NL

-----  
\*\*\* SECTION VI: Health Hazard Data \*\*\*

Route(s) of Entry: Inhalation? Skin? Eye? Ingestion?

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Health Hazards (Acute and Chronic):

NL

Signs and Symptoms of Exposure:

INHALATION: MAY IRRITATE THROAT AND NOSE.

EYE CONTACT: MAY BURN AND IRRITATE THE EYES.

SKIN CONTACT: REPEATED CONTACT WITH SKIN CAUSE SLIGHT IRRITATION AND BLEACH THE SKIN.

INGESTION: THIS PRODUCT IS IRRITATING MOUTH AND THROAT AND CAN CAUSE INTERNAL BLEEDING.

Medical Conditions Aggravated by Exposure:

NL

Emergency and First Aid Procedures:

IF INHALED - REMOVE TO FRESH AIR.

EYE CONTACT - FLUSH WITH RUNNING WATER FOR AT LEAST 15 MIN. GET IMMEDIATE MEDICAL ATTENTION.

IF SWALLOWED - DO NOT INDUCE VOMITING. GIVE A LOT OF WATER. GET IMMEDIATE MEDICAL ATTENTION.

SKIN CONTACT - FLUSH WITH A LOT OF WATER, IF IRRITATION PERSISTS CALL A DOCTOR.

-----  
\*\*\* SECTION VII: Precautions for Safe Handling and Use \*\*\*

Steps to be Taken in Case Material is Released or Spilled:  
USE ABSORBENT MATERIAL TO REMOVE SPILL, WASH WITH COPIOUS AMOUNT OF WATER.

Waste Disposal Method:

DISPOSE WASTE ACCORDING TO LOCAL REGULATION.

Precautions to be Taken in Handling and Storage:

HANDLING - GOOD PRACTICE RECOMMEND USE GLOVES AND GOGGLES. WASH ANY CONTAMINATION FROM YOUR SKIN AND CLOTHES IMMEDIATELY. WASH YOUR HANDS BEFORE EATING.

STORAGE - STORE IN COOL DARK PLACE AWAY FROM HEAT, SUNLIGHT, FLAMES OR ELECTRIC SPARKLES. STORE IN A PROPERLY VENTED CONTAINER. NEVER MIX OTHER PRODUCTS IN CONTAINER USE FOR THIS PRODUCT. ALWAYS OPEN CAP AWAY FROM YOUR FACE.

Other Precautions:

NL

-----  
\*\*\* SECTION VIII: Control Measures \*\*\*

Ventilation? Pressurized? Container Type: NL

Respiratory Protection:

NL

-----  
\*\*\* SECTION VIII: Control Measures \*\*\* (cont.)

Ventilation:

NL

Protective Gloves:

GOOD PRACTICE RECOMMEND USE GLOVES

Eye Protection:

GOOD PRACTICE RECOMMEND USE GOGGLES

Work/Hygienic Practices:

NL

This MSDS covers these requested SKUs:

SKU	SIZE	DESCRIPTION
572430	EA	PM ALKALINE WAVE
572431	EA	PM EXOTHERMIC WAVE
572432	EA	PM ACID WAVE

\*\*\*\*\*  
\*The information contained herein is based on the data available\*  
\*to us and is believed to be correct to the best of our ability.\*  
\*However, Sally Beauty Company makes no warranty, expressed or \*  
\*implied regarding the accuracy of this data nor assumes any \*  
\*responsibility for injury from the intentional or non- \*  
\*intentional misuse of this product. \*  
\*\*\*\*\*