

MSDS Material Safety Data Sheet

Blistex Inc.



Foille Spray

Page 1 of 4

MSDS Number: 089-9203

Revision Date: 11/12/04

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Blistex Inc.
1800 Swift Drive

Oak Brook, IL 60523

Contact: Director of Quality Systems

Telephone Number: (630) 571-2870

FAX Number:

E-Mail:

Web

Product Name: Foille Spray

Revision Date: 11/12/04

MSDS Number: 089-9203

2

COMPOSITION/INFORMATION ON INGREDIENTS


Ingredients:

Cas #	Chemical Name	Perc.
75285	Isobutane	20% (as propellant in final package)
94097	Benzocaine	4% (wt. aerosol)


3 HAZARDS IDENTIFICATION

Route of Entry: Inhalation, Skin, Mucus membranes
Target Organs: N/A
Inhalation: Inhalation is very unlikely through normal anticipated use of this product. Inhalation of small doses of product during application may cause slight irritation.
Skin Contact: None Expected
Eye Contact: Irritation may occur
Ingestion: Ingestion is very unlikely through normal anticipated use of this product. Ingestion of small quantities is not expected to cause any significant adverse effects.

RAW PRODUCT



PACKAGED



In final sealed form this product is a Level 1 Aerosol. FLAMMABLE. Contents under pressure. Keep away from heat, sparks or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

4 FIRST AID MEASURES

Inhalation: Move to fresh air.
Skin Contact: Wash with luke warm water and mild soap. If irritation or rash develops, stop use. If condition does not improve in several days, seek medical assistance.
Eye Contact: Flush with luke warm water for 15 minutes.
Ingestion: Ingestion of small quantities is not expected to cause any significant adverse effects. If discomfort or concerns arise, contact a physician or Poison Control Center.

5 FIRE FIGHTING MEASURES

Flash Point: Unknown
Flash Point Method: N/A

Water, CO2, Dry Chemical, Foam.

Move packaged containers away from fire if possible and safe to do so. Use water spray to cool fire exposed containers. Provide shielding for venting, rupturing or bursting containers.

6 ACCIDENTAL RELEASE MEASURES

Use inert absorbent material to collect spilled raw product. Collect and place in drums for disposal. Dispose of according to local, state and federal regulations.

For large spills due to ruptured containers, eliminate all sources of ignition and ventilate the area with equipment rated for use in flammable environments. Collect liquid and with absorbent material and dispose of according to local, state and federal regulations.

7 HANDLING AND STORAGE

Handling Precautions: Keep in closed containers when in bulk form.

Storage Requirements: Store at room temperature.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: N/A

Protective Equipment: Use NIOSH approved gloves and goggles when handling in raw, bulk form.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Homogeneous Liquid - Lt. Green/Pale Yellow

Physical State: Liquid

Odor: Characteristic

pH: 7.0 - 8.4

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Insoluble in water

Spec Grav./Density: 0.950 - 0.985

10 STABILITY AND REACTIVITY

Stability: Stable

Conditions to avoid: Temperatures about 130F - Freezing

Materials to avoid (incompatibility): NA

Hazardous Decomposition products: None

Hazardous Polymerization: None

11 TOXICOLOGICAL INFORMATION

Unknown

12 ECOLOGICAL INFORMATION

Unknown

13 DISPOSAL CONSIDERATIONS

Follow local, state and federal regulations.

Container disposal: Replace cap and discard in trash. Do not puncture or incinerate. Do not reuse empty container.

14 TRANSPORT INFORMATION

Proper Shipping Name: Consumer Commodity ORM-D

Hazard Class: ORM-D

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Isobutane (75285 20%) MASS, PA

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List
PA = PA Right-To-Know List of Hazardous Substances

16 OTHER INFORMATION

END OF MSDS DOCUMENT