MSDS # 00815 Material Safety Data Sheet

10-25 Volume Developer Products

\*\*\* SECTION I: General Information (Product Manufacturer) \*\*\*

L'OREAL PROFESSIONNEL 35 BROADWAY RD Emer. Phone: (800) 535-5053 Info. Phone: (732) 940-4612 Date Prepared: 3/19/02 NJ 08512-0541 CRANBURY

H=Haz/O=ORM-D: EPA #:

\*\*\* SECTION II: Hazardous Ingredients/Identity Information \*\*\*

CAS Req # Hazardous Component OSHA PEL

hydrogen peroxide ACGIH TLV:

Other:

**%:** 3−7.5

\_\_\_\_\_ \*\*\* SECTION III: Physical/Chemical Characteristics \*\*\*

Specific Gravity: +-1 Method: na

Vapor Pressure: na Vapor Density: na Solubility in Water: miscible Melting Point: na Evaporation Rate: <1 Boiling Point: +-212F

Appearance and Odor: white, creamy, thick liquid with a faint odor

\*\*\* SECTION IV: Fire and Explosion Hazard Data \*\*\*

Flash Point: >200 F Flammable Limits: LEL na Method: none UEL na

Extinguishing Methods:

Extinguishing Methods:

use media appropriate for materials actually involved in the fire Special Fire Fighting Procedures:

upon decomposition, peroxides yield oxygen and may thereby stimulate the combustion of flammable and combustible materials. extinguish fires with media appropriate for the burning materials Unusual Fire and Explosion Hazards:

caution: oxidizer. residual product on towels, sponges or mops may cause fire. rinse towels thoroughly before storage

sponges and mops throughly before storage.

\*\*\* SECTION V: Reactivity Data \*\*\*

Stability: Stable Corrosive? Polymerization? N

Conditions to Avoid: avoid contact with iron, zinc, and reducing agents

Incompatibility:
organic compounds, iron, zinc, and reducing agents
Hazardous Decomposition or Byproducts:

Hazardous Polymerization:

none

Page: 2

\*\*\* SECTION V: Reactivity Data \*\*\* (cont.)

Polymerization Conditions:

\*\*\* SECTION VI: Health Hazard Data \*\*\*

Route(s) of Entry: Inhalation? X Skin? X Eye? Ingestion?

IARC Monographs? OSHA Regulated? Carcinogenicity: NTP?

Health Hazards (Acute and Chronic): may cause skin and severe eye irritation. harmful if swallowed. may cause severe irriation of gastric mucous membranes if swallowed.

Signs and Symptoms of Exposure: irriation of skin, eyes, and/or mucous membranes Medical Conditions Aggravated by Exposure:

Emergency and First Aid Procedures:
if swallowed, drink one or two glasses of water or mild. call
a physician, hospital emergency room or poison control center
immediately. DO NOT induce vomiting. get medical attention. if in
eyes, flush with water for at least 15 minutes and get medical
attention. if on skin, flush with water, then wash with soap and
plenty of water. consult a physician if irrition occurs.

\*\*\* SECTION VII: Precautions for Safe Handling and Use \*\*\*

Steps to be Taken in Case Material is Released or Spilled: for small spills, wipe up with paper towels or a sponge. wash area with water. rinse paper towels, sponges, or mops thoroughly prior to disposal or storage. for large spills, dike and contain the free liquid. use absorbent material to solidify spill and then place in proper containers for disposal.

Waste Disposal Method:
although dilute hydrogen peroxide solutions are not regulated as hazardous wastes under RCRA, physical and/or chemical deactivation/degredaton of the peroxide solution is the recommended method of treatment and disposal for these products.

Precautions to be Taken in Handling and Storage:
do not use or store with or near fuels, solvents, or other organic materials. avoid iron, zinc, and reducing agents. store in a cool place away from direct sunlight. keep out of reach of children. Steps to be Taken in Case Material is Released or Spilled:

children.

Other Precautions:

for external use only \*\*\* SECTION VIII: Control Measures \*\*\*

Container Type: Ventilation? Y Pressurized? Respiratory Protection: none required for product use. for handling bulk quantities, uses a NIOSH-approved respirator if peroxide TLV is exceeded. for

BSG USA 10/18/06 MSDS # 00815 Material Safety Data Sheet

\*\*\* SECTION VIII: Control Measures \*\*\* (cont.)

3

Page:

Respiratory Protection: (cont.) spills or fires, wear a self-contained breathing apparatus. Ventilation:

local exhaust recommended Protective Gloves:

plastic or rubber
Eye Protection:
safety glasses
Work/Hygienic Practices:

This MSDS covers these requested SKUs:

DESCRIPTION SKU SIZE MAT COLOR SYNC ACTIVATOR 16 OZ MAT COLOR SYNC ACTIVATOR MAT COLOR SYNC ACTIVATOR 500 ML 804701 32Z 804702 8 OZ 804703

> \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* \*The information contained herein is based on the data available\*