Color Protect Daily Shampoo

______ *** SECTION I: General Information (Product Manufacturer) *** PAUL MITCHELL SYSTEMS Emer. Phone: (800) 255-3924
26455 RUETHER AVENUE Info. Phone: () SANTA CLARITA CA 91350-0000 Date Prepared: 2/20/03
EPA #:
H=Haz/O=ORM-D: *** SECTION II: Hazardous Ingredients/Identity Information *** OSHA PEL CAS Req # Hazardous Component 7732-18-5 Deionized Water 용: Other: ACGIH TLV: 68140-00-1 Cocamide Mea 웡: Other: ACGIH TLV: 68585-47-7 Ammonium Lauryl Sulfate 융: Other: ACGIH TLV: 25446-80-4 Sodium Myreth Sulfate 용: ACGIH TLV: Other: Cocamidopropyl Betaine ACGIH TLV: 83138-08-3 8: Other: Polyquaternium-44 ACGIH TLV: Other: *** SECTION III: Physical/Chemical Characteristics *** Method: nl Melting Point: nl Evaporation Rate: Slow Specific Gravity: nl Vapor Pressure: nl Vapor Density: Heavy Solubility in Water: nl Appearance and Odor: Boiling Point: nl Pearlized, slightly viscous liquid with moderate floral odor. *** SECTION IV: Fire and Explosion Hazard Data *** Flash Point: nl F Flammable Limits: LEL nl UEL nl Method: nl Extinguishing Methods: Foam, carbon dioxide, water fog, sand/earth
Special Fire Fighting Procedures:
Use NIOSH-approved self contained breathing apparatus. Cool
fire-exposed containers with water spray.
Unusual Fire and Explosion Hazards:
Irritating or toxic gases, fumes, smokes or particulates. Unusual
fire or explosion hazards are not expected. Relative hazard is

*** SECTION IV: Fire and Explosion Hazard Data *** (cont.)

Unusual Fire and Explosion Hazards: (cont.) anticipated to be the same as normal combustible materials.

*** SECTION V: Reactivity Data ***

Stability: Stable

Corrosive?

Polymerization?

Conditions to Avoid: Excessive heat Incompatibility:

Heat, strong oxidizing agents
Hazardous Decomposition or Byproducts: Carbon monoxide, carbon dioxide, sulfer oxides Hazardous Polymerization:

Will not occur Polymerization Conditions:

Excessive heat

*** SECTION VI: Health Hazard Data ***

Route(s) of Entry: Inhalation? N Skin? Y Eye? Y Ingestion? Y

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Health Hazards (Acute and Chronic):

Acute: Yes Chronic: No (No specific information listed)
Signs and Symptoms of Exposure:
May irritate eyes. May irritate existing skin condition on repeated or prolonged exposure. May cause nausea, vomiting or diarrhea.

Medical Conditions Aggravated by Exposure:

Existing skin condition can be aggravated.

Emergency and First Aid Procedures:

Eyes: Flush with copious amounts of water for 15 minutes. If symptoms persist get medical attention.
Skin: Remove excess material and flush affected skin with water.
Gently dry area with a clean towel. If irritation persists. Get medical attention.

*** SECTION VII: Precautions for Safe Handling and Use ***

Steps to be Taken in Case Material is Released or Spilled: Floors may be slippery. Absorb large spills with material such as sawdust, earth or sand. Sweep up dispose of in accordance with federal, state and local regulations.

Waste Disposal Method:

This materials is not classified as equitable hazardous waste. Use disposal methods consistent with federal, state and local regulations.

Precautions to be Taken in Handling and Storage: Standard CGMP indicated.

Page: 3 BSG USA

10/18/06 10/18/06 BSG USA MSDS # 02097 Material Safety Data Sheet

** SECTION VII: Precautions for Safe Handlingand Use ** (cont.)

Other Precautions:

*** SECTION VIII: Control Measures ***

Respiratory Protection:
NIOSH/MSHA approved cartridge respirator to maintain PEL/TLV Ventilation:

nl

Protective Gloves:

Protection gloves

Eye Protection:

Goggles when pouring or when splashing can occur Work/Hyglenic Practices:

nl

This MSDS covers these requested SKUs:

SKU SIZE DESCRIPTION

8.5 OZ. PM COLOR PROTECT DAILY SHAMPOO PM COLOR PROTECT DAILY SHAMPOO 570895 570897

> ****************