BSG USA Page: 1 10/18/06 MSDS # 02726 Material Safety Data Sheet

EXTRA-BODY FINISHING HAIR SPRAY

\*\*\* SECTION I: General Information (Product Manufacturer) \*\*\*

JOHN PAUL MITCHELL

Emer. Phone: (909) 598-1951 Info. Phone: (909) 598-1951 Date Prepared: 9/09/03

-0000

H=Haz/O=ORM-D: EPA #:

\*\*\* SECTION II: Hazardous Ingredients/Identity Information \*\*\*

Hazardous Component CAS Req # OSHA PEL 1000 PPM 64275 **ETHANOL** ACGIH TLV: 1000 PPM Other: **%:** 61%

1000 PPM %: 5% 74986 PROPANE ACGIH TLV: 1000 PPM Other:

106978 1000 PPM BUTANE

ACGIH TLV: 1000 PPM Other: ક: 27ક

\*\*\* SECTION III: Physical/Chemical Characteristics \*\*\*

Melting Point: NL Evaporation Rate: FASTER Boiling Point: 173F

Specific Gravity: UNKNOWN Method: NL Vapor Pressure: <180psig@ Melting Poi Vapor Density: >AIR Evaporation Solubility in Water: SOLUBLE Boiling Poi Appearance and Odor:
LIQUID, LIGHT STRAW LIQUID, CHARACTERISTIC ODOR

\*\*\* SECTION IV: Fire and Explosion Hazard Data \*\*\*

Flammable Limits: LEL 1.8 UEL 9.5 Flash Point: NL Method: 36F EPA

Extinguishing Methods:
CARBON DIOXIDE, FOAM, DRY CHEMICAL
Special Fire Fighting Procedures:
KEEP TEMPERATURES IN CONTAINERS
UNTIL THE FIRE HAS BEEN EXTINGUISHED.

Unusual Fire and Explosion Hazards: CONTAINERS MAY RUPTURE AND RELEASE FLAMMABLE LIQUIDS AND/OR GASSES IF EXPOSED TO HEAT OF FIRE.

\*\*\* SECTION V: Reactivity Data \*\*\*

Stability: Stable Corrosive? Polymerization?

Conditions to Avoid: DO NOT STORE CONTAINERS IN DIRECT SUNLIGHT OR WHERE CONDITIONS WILL HEAT THEM ABOVE 120F.

\*\*\* SECTION V: Reactivity Data \*\*\* (cont.)

Incompatibility:

DO NOT MIX WITH STRONG OXIDIZING AGENTS.

Hazardous Decomposition or Byproducts: NORMAL PRODUCTS OF COMBUSTION

Hazardous Polymerization:

WILL NOT OCCUR

Polymerization Conditions: DO NOT STORE CONTAINERS IN DIRECT SUNLIGHT OR WHERE CONDITIONS WILL HEAT THEM ABOVE 120F.

\*\*\* SECTION VI: Health Hazard Data \*\*\*

Route(s) of Entry: Inhalation? Skin? Eye? Ingestion?

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Health Hazards (Acute and Chronic):

EFFECTS OF ACUTE OVEREXPOSURE: NONE WHEN USED AS DIRECTED.

EYE CONTACT: DIRECT CONTACT OF PRODUCT WITH EYES MAY CAUSE
IRRITATION, AND MAY RESULT IN IRREVERSIBLE DAMAGE.

SKIN CONTACT: NONE KNOWN

SKIN ABSORPTION: NONE KNOWN.

SWALLOWING: IF INGESTED MAY CAUSE NASEAU AND VOMITING. IN AN
AREOSOL FORM INGESTION UNLIKELY.

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE:
EFFECTS OF REPEATED OVEREXPOSURE: UNKNOWN

Signs and Symptoms of Exposure: Signs and Symptoms of Exposure:

UNKNOWN Medical Conditions Aggravated by Exposure:

NT

Emergency and First Aid Procedures: INHALATION: MOVE TO FRESH AIR. AIR IN BREATHING IF NECESSARY AND GET IMMEDIATE MEDICAL ATTENTION.
EYE CONTACT: FLUSH EYES WITH GENEROUS AMOUNTS OF WATER FOR AT
LEAST 15 MINUTES. CONSULT A PHYSICIAN IF IRRITATION OCCURS OR WORSENS SKIN CONTACT: WASH EXCESSIVE MATERIAL FROM SKIN WITH SOAP AND WATER. INGESTION: PRODUCT IS NOT LIKELY TO BE INGESTED. IF THIS OCCURS TREAT SYMPTOMATICALLY. NEVER GIVE FLUIDS OR INDUCE VOMITING IF VICTIM IS UNCONSCIOUS OR HAVING CONVULSIOUNS.

\*\*\* SECTION VII: Precautions for Safe Handling and Use \*\*\*

Steps to be Taken in Case Material is Released or Spilled:
LEAKING CANS SHOULD BE PLACED IN OPEN CONTAINERS, OUTDOORS AWAY
FROM ANY SOURCE OF IGNITION, UNTIL ALL PRESSURE HAS BEEN
RELEASED. CONTAINER DISPOSAL: EMPTY CONTAINERS MAY BE DISPOSED OF
AS NORMAL REFUSE. RECYCLE WHENEVER POSSIBLE.
Waste Disposal Method:
LEAKING CANS SHOULD BE PLACED IN OPEN CONTAINERS, OUTDOORS AWAY
FROM ANY SOURCE OF IGNITION, UNTIL ALL PRESSURE HAS BEEN

10/18/06

BSG USA MSDS # 02726 Material Safety Data Sheet Page:

3

\*\* SECTION VII: Precautions for Safe Handlingand Use \*\* (cont.)

Waste Disposal Method: (cont.)
RELEASED. CONTAINER DISPOSAL: EMPTY CONTAINERS MAY BE DISPOSED OF
AS NORMAL REFUSE. RECYCLE WHENEVER POSSIBLE.

Precautions to be Taken in Handling and Storage:
GENERAL HANDLING: PRODUCT IS SAFE TO HANDLE. HANDLE WITH CARE.
STORAGE: STORE IN ROOM TEMPERATURE BELOW 120F. DO NOT STORE NEXT
TO HEATING UNIT OR IN DIRECT SUNLIGHT.

Other Precautions: KEEP AWAY FROM CHILDREN.

\*\*\* SECTION VIII: Control Measures \*\*\*

Ventilation? Pressurized? Respiratory Protection: NONE REQUIRED

Container Type:

Ventilation:

NORMAL VENTILATION

Protective Gloves: NOT NECESSARY EXCEPT AS GOOD INDUSTRIAL PRACTICE

Eye Protection: NOT NECESSARY EXCEPT AS GOOD INDUSTRIAL PRACTICE

Work/Hygienic Practices:

NL

This MSDS covers these requested SKUs:

SKU SIZE DESCRIPTION

571026 12 OZ PM 55% EXTRA BODY FINISHING SPRAY

\* \*The information contained herein is based on the data available\* \*to us and is believed to be correct to the best of our ability.\*

\*However, Sally Beauty Company makes no warranty, expressed or \*

\*implied regarding the accuracy of this data nor assumes any \*

\*responsibility for injury from the intentional or non
\*intentional misuse of this product.