

Delta Technical Coatings, Inc.

Material Safety Data Sheet

IDENTITY (As Used on lobel and List)									
			Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.						
Marblethix by Delta SECTION I		information is a	valiable, the space mus	t be marked to indicate	tnat.				
		5	ante and Alexanter						
			ephone Number						
Delta Technical Coatings, Inc.		(800) 423-							
Address			ber for Information						
2550 Pellissier Place			(562) 695-7969						
Whittier, California 90601-1505			Date Prepared						
			Rev. 1/31/05						
	Signature of Pre	Signature of Preparer (optional)							
CECTION II . Horordovo Ingradiento/Identify Informa	ntion .								
SECTION II - Hazardous Ingredients/Identify Informa	ation		OCUA PEL	ACCILITIV	Oth ou Limite	% (optional)			
Hazardous Components (Specific Chemical Identity; Common Name(s))			OSHA PEL	ACGIH TLV	Other Limits	76 (Optional)			
none									
Hone									
					I				
SECTION III -Physical/Chemical Characteristics									
Boiling Point		Specific Gravity	Specific Gravity (H ₂ O = 1)						
•	N/A					~1gram/cc			
Vapor Pressure (mm Hg.)		Melting Point	Melting Point						
	N/A		N						
Vapor Density (AIR = 1)		Evaporation Ra	Evaporation Rate (Butyl Acetate = 1)						
	N/A				N/A				
Solubility in Water					_				
10% maximum									
Appearance and Odor									
Dry powder with a slight marine odor.									
SECTION IV -Fire and Explosion Hazard Data									
Flash Point (Method Used)		Flammable Limi	ts		LEL	UEL			
	N	l/A		N/A	N/	'A N/A			
Extinguishing Media									
Dry chemical, CO2, water fog									
Special Fire Fighting Procedures									
For fires involving this material, do not enter any	enclosed or conf	fined space wi	thout proper pro	otective equipm	ent, such as				
self-contained breathing apparatus.									
Unusual Fire and Explosion Hazards									
Accumulation of excessive dust on overhead stru	ctures may prou	ice explosive	concentrations v	when aggitated	into a				
flammable concentration.									

MSDS000050

Stability	Unstable		Conditions to Avoid						
			N/A						
	Stable	Х							
Incompatability (Materials to	o Avoid)								
None									
Hazardous Decomposition									
Remote possibility		ch may		acid fumes.					
Hazardous Polymerization	May Occur		Conditions to Avoid N/A						
	Will Not Occur	Х							
SECTION VI -Health	Hazard Data	_ ^							
Route(s) of Entry:	Triazara Data			Inhalation?		Skin?		Ingestion?	
					yes		No	No	
Health Hazards (Acute and	Chronic)			•		•			
None.									
Carcinogenicity:				NTP?		IARC Monographs		OSHA Regulated?	
					No		No	No	
Signs and Symptoms of Ex	posure								
N/A									
Medical Conditions Genera	lly Aggravated by Expo	sure							
11/74									
Emergency and First Aid Pr									
Inhalation: Move s	subject to fresh	air. Eye	contact: Flush	eyes with a la	arge amount of v	vater for at lea	ast 15 minutes.		
Skin Contact: Was	sh affected area	as thoro	ughly with soap	and water.					
			ag, acap						
Ingestion: If swallo	owed, give two	glasses	of water to drin	k. Consult a p	hysician.				
Ingestion: Drink pl	eanty of water.	If a very	y large amount	is swallowed,	induce vomiting				
Ingestion: Drink pleanty of water. If a very large amount is swallowed, induce vomiting.									
CECTION VIII D	outions for Oct	Han III	n and He						
SECTION VII -Preca	autions for Safe	Handling	g and Use						

Steps To Be Taken in Case Material Is Released or Spilled

Maintain good housekeeping practices to minimize accumulation of settled dust. Sweep up the spilled material and

MSDS000050

dispose of in	n accordance with the "Waste	Disposal Method" given	below.		
Waste Disposal M		ed. It is the users' respon	sibility to con	nply with the applicable local, state, and	
140 Special C	alsposal methods are suggest	ca. It is the asers respon	Sibility to cor	iply with the applicable local, state, and	
federal laws	s, rules, regulations, and stand	lards.			
Precautions to Be	e Taken in Handling and Storing				
Store in a d	Iry area for product quality ass	urance.			
Other Precautions	e				
	iner tightly closed when not in	use.			
KEEP OU	T OF REACH OF CHILDRI	EN.			
SECTION VII	II -Control Measures				
Respiratory Prote	ection (Specify Type)				
Ventilation	Local Exhaust			Special	
ventilation	Local Extraust	Re	commended	Special	None
	Mechanical (General)			Other	
			None		None
Protective Gloves	3				
	plastic or rubber.				
Protective Glasse		contact			
	ses may be worn to avoid eye Clothing or Equipment	COMACI.			
	e garments may be worn to av	oid contact with skin.			
Work/Hygenic Pra					
Clean-up w	ith soap and water. Wash har	nds with soap and water a	after using pr	oduct. Close container tightly.	
SECTION IX	- Disclaimer				
Dalta Taabu	ainal Cantings Inc. Annum	ihilibu far		and and the dame of the consideration	
Delta Techr	nical Coatings, Inc. Assumes	no responsibility for perso	onal injury or	property damage to vendees,	
users or thir	rd parties caused by the produ	ıct. Such vendees assun	nes all risks a	ssociated with the use of this product.	
	HMIS SYMBOL	RATING		Transportation Information:	
	HEALTH 0	SEVERE	4	D.O.T.: Not Regulated	
_	FLAMMABILITY 1	SERIOUS	3	D.O.T. Not Regulated	
_	REACTIVITY 0	MODERATE	2	I.A.T.A.: Not Regulated	
<u> </u>		SLIGHT	1	<u> </u>	
		MINIMAL	0	CERCLA RQ: None	