PAUL MITCHELL RE-WORKS

\*\*\* SECTION I: General Information (Product Manufacturer) \*\*\*

JOHN PAUL MITCHELL

Emer. Phone: (800) 255-3924 Info. Phone: (909) 598-1951 -0000 Date Prepared: 11/07/03

Page: 1

EPA #:

H=Haz/O=ORM-D:

\*\*\* SECTION II: Hazardous Ingredients/Identity Information \*\*\*

| Hazardous Component             |        | CAS Req # | OSHA PEL   |
|---------------------------------|--------|-----------|------------|
| DEIONIZED WATER<br>ACGIH TLV:   | Other: | 7732185   | NONE<br>%: |
| STEARETH-20<br>ACGIH TLV:       | Other: | 68439496  | NE<br>%:   |
| CETEARYL ALCOHOL<br>ACGIH TLV:  | Other: | 61772270  | NE<br>%:   |
| PVP<br>ACGIH TLV:               | Other: | 9003398   | NE<br>%:   |
| GLYCERYL STEARATE<br>ACGIH TLV: | Other: | 123944    | NE<br>%:   |

\*\*\* SECTION III: Physical/Chemical Characteristics \*\*\*

Specific Gravity: 1.038

Vapor Pressure: NL Melting Point: No Melting Point: No Melting Point: No Evaporation Rate Solubility in Water: NL Boiling Point: No Appearance and Odor: HIGHYLY VISCOUS LIGHT COLORED LIQUID MINT FRAGRANCE.

\*\*\* SECTION IV: Fire and Explosion Hazard Data \*\*\*

Flash Point: >200 F

Method: NL

Flammable Limits: LEL NL UEL NL

Method: NL

Melting Point: NL Evaporation Rate: NA Boiling Point: NL

Extinguishing Methods:
USE FOAM, CARBON DIOXIDE, DRY CHEMICAL, OR WATER SPRAY WHEN FIGHTING FIRES.

Special Fire Fighting Procedures:
MATERIAL MAY BE IGNITED ONLY IF PRE HEATED TO HIGH TEMPERATURES,
FOR EXAMPLE IN A FIRE. RELATIVE HAZARD IS ANTICIPATED TO BE THE
SAME AS TYPICAL COMBUSTIBLE MATERIALS.

Unusual Fire and Explosion Hazards: IN CASE OF FIRE, USE NORMAL FIRE FIGHTING EQUIPMENT INCLUDING A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS (SCBA). USE WATER TO COOL CONTAINERS.

10/18/06 MSDS # 03135 Material Safety Data Sheet

\*\*\* SECTION V: Reactivity Data \*\*\*

Stability: Stable

Corrosive?

Polymerization?

Conditions to Avoid:
NOT SENSITIVE TO MECHANICAL SHOCK
Incompatibility:

STRONG OXIDIZING AGENTS.

Hazardous Decomposition or Byproducts:
CARBON DIOXIDE, CARBON MONOXIDE
Hazardous Polymerization:
WILL NOT OCCUR

Polymerization Conditions:

\*\*\* SECTION VI: Health Hazard Data \*\*\*

Route(s) of Entry: Inhalation? N Skin? Y Eye? Y Ingestion? Y

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Health Hazards (Acute and Chronic):

ACUTE: YES CHRONIC: NO

INHALATION TOXICITY: BECAUSE OF ITS LOW VOLATILITY, EXPOSURE TO VAPORS IS UNLIKELY AND NO SIGNIFICANT ADVERSE EFFECTS TO HEALTH WILL OCCUR FROM INHALATION.

INHALATION IRRITATION: MAY CAUSE TRANSIENT IRRITATION IF INHALED

AS AN AREOSOL. SKIN CONTACT: CONTACT WOULD BE EXPECTED TO CAUSE TRANSIENT REDNESS IF NOT WASHED OFF AND LEFT ON THE SKIN FOR AN EXTENDED PERIOD OF TIME.

SKIN ABSORPTION: NOT EXPECTED TO BE ABSORBED THROUGH SKIN.
EYE CONTACT: CONTACT WOULD BE EXPECTED TO CAUSE TRANSIENT
REDNESS IF NOT WASHED OFF AND LEFT ON THE EYE FOR AN EXTENDED
PERIOD OF TIME. NO VISUAL IMPARIMENT IS EXPECTED.
INGESTION IRRITATION: INGESTION MAY CAUSE IRRITATION OF THE
GASTROINTESTIONAL TRACT AND GASTROINTESTIONAL DISCOMFORT WITH ANY
OR ALL OF THE FOLLOWING SYMPTOMS: NAUSEA, DIARRHEA, VOMITING, OR

LETHARGY.

INGESTION TOXICITY: NOT ECPECTED TO BE TOXIC BY INGESTION UNLESS LARGE AMOUNTS ARE SWALLOWED.

Signs and Symptoms of Exposure:

MAY IRRITATE EYES
MAY IRRITATE PRE-EXISTING DERMATITIS CONDITION.
MAY CAUSE VOMITING AND DIARRHEA IF INGESTED.
Medical Conditions Aggravated by Exposure:

NONE KNOWN OR REPORTED.

Emergency and First Aid Procedures:
INHALATION : REMOVE INDIVISUAL TO FRESH AIR.
SKIN/EYE CONTACT: REMOVE CONTACT LENSES, IF USED. FLUSH WITH
COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CALL A
PHYSICIAN IF IRRITATION DEVELOPS. INGESTION: IMMEDIATELY FRINK WATER TO DILUTE. NEVER GIVE ANYTHING

Page: 3

\*\*\* SECTION VI: Health Hazard Data \*\*\* (cont.)

Emergency and First Aid Procedures: (cont.) BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN IF SYMPTOMS DEVELOP.

\*\*\* SECTION VII: Precautions for Safe Handling and Use \*\*\*

Steps to be Taken in Case Material is Released or Spilled: CONTAIN SPILL AS SOON AS POSSIBLE. PROMPTLY CLEAN UP BY FLUSHING WITH WATER TO DRAIN. CAUTION: FLOOR CAN BE SLIPPERY WHEN WET. NO EXTRAT PROTECTION NEEDED DUE TO LWO VOLATILITY AND TOXICITY.

Waste Disposal Method:
PRODUCT CLASSIFIED AS NON-HAZARDOUS WASTE ACCORDING TO RCRA.
Precautions to be Taken in Handling and Storage:
HANDLING: DO NOT TAKE INTERNALLY. AVOID RPOLONGED CONTACT WITH SKIN OR EYES. AVOID BREATHING MIST.
STORAGE: STORE IN A COOL, DRY AND WELL VENTILATED PLACE.

Other Precautions: NO TOXIC RISK TO HUMANS IS EXPECTED. NOT KNOWN OR REPORTED TO BE A CARCINOGENIC.

\*\*\* SECTION VIII: Control Measures \*\*\*

Respiratory Protection:
NO EXTRA PROTECTION NORMALLY NEEDED DUE TO LOW VOLATILITY AND TOXICITY.

Ventilation:

NO EXPOSURE LIMIT ESTABLISHED FOR THIS PRODUCT. NO ENGINEERING CONTROLS ARE LIKELY TO BE REQUIRED UNDER NORMAL CONDITIONS. USE GENERAL EXHAUST VENTILATION IF MISTS OR AEROSOLS ARE GENERATED.

Protective Gloves:
NO EXTRA PROTECTION NORMALLY NEEDED DUE TO LOW VOLATILITY AND

TOXICITY.

Eye Protection:
NO EXTRA PROTECTION NORMALLY NEEDED DUE TO LOW VOLATILITY AND TOXICITY.

Work/Hygienic Practices:

This MSDS covers these requested SKUs:

DESCRIPTION SIZE SKU

5.1 OZ. PM REWORKS 571196

Page: 4

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*