Page: 1

MSDS # 03132 Material Safety Data Sheet

PM SHINES PROCESSING LIQUID

*** SECTION I: General Information (Product Manufacturer) ***

Emer. Phone: (800) 424-9300 Info. Phone: (800) 424-9300 Date Prepared: 11/06/03 JOHN PAUL MITCHELL

-0000

EPA #: H=Haz/O=ORM-D:

*** SECTION II: Hazardous Ingredients/Identity Information ***

Hazardous Component

CAS Req # OSHA PEL

HYDROGEN PEROXIDE

ACGIH TLV:

Other:

용:

*** SECTION III: Physical/Chemical Characteristics ***

Specific Gravity: 1.009 Method: WATER=1 Vapor Pressure: NL Melting I Vapor Density: NA Evaporat: Solubility in Water: COMPLETE Boiling I Appearance and Odor: CLEAR. COLORLESS PRACTICALLY ODORLESS LIQUID. Melting Point: NL Evaporation Rate: NL Boiling Point: NL

*** SECTION IV: Fire and Explosion Hazard Data ***

Flash Point: NA F Flammable Limits: LEL NL UEL NL Method: NL

Extinguishing Methods:

WATER SPRAY

Special Fire Fighting Procedures: COMBUSTIBLE

Unusual Fire and Explosion Hazards:

*** SECTION V: Reactivity Data ***

Stability: Not Stable

Corrosive?

Polymerization?

Conditions to Avoid: SLIGHTLY UNSTABLE. AVOID EXCESSIVE HEAT AND CONTAMINATION OF ANY KIND. Incompatibility:

REDUCING AGENTS, COMBUSTIBLE MATERIALS SUCH AS WOOD, CLOTH OR ORGANIC MATERIALS, METLAS LIKE IRON, COPPER AND THEIR ALLOYS AND DIRT.

Hazardous Decomposition or Byproducts:

NL

Hazardous Polymerization:

NL

BSG USA 10/18/06 MSDS # 03132 Material Safety Data Sheet *** SECTION V: Reactivity Data *** (cont.) Polymerization Conditions: *** SECTION VI: Health Hazard Data *** Eye? Ingestion? Route(s) of Entry: Inhalation? Skin? IARC Monographs? OSHA Regulated? Carcinogenicity: NTP? Health Hazards (Acute and Chronic):
INHALED: VAPORS AND MISTS MAY IRRITATE NOSE AND THROAT.
EYE CONTACT: LIQUID OR MISTS WILL IRRITATE AND BURN EYES, CORROSIVE MATERIAL. SKIN CONTACT: PROLONGED CONTACT WILL IRRITATE THE SKIN.
SWALLOWED: LIQUID IS SEVERELY IRRITATING TO THE MOUTH AND THROAT.
MEDICAL CONDITIONS AGGRIVATED BY INGESTION. Signs and Symptoms of Exposure: Medical Conditions Aggravated by Exposure: Emergency and First Aid Procedures:

IF INHALED: REMOVE TO FRESH AIR.

EYE CONTACT: IMMEDIATELY FLUSH EYES WITH LOTS OF RUNNING WATER
FOR 15 MINUTES LIFTING THE UPPER AND LOWER EYELIDS OCCASIONALLY.

GET IMMEDIATE MEDICAL ATTENTION.

SKIN CONTACT: IMMEDIATELY FLOOD SKI WITH LOTS OF WATER. REMOVE
CONTAMINATED CLOTHING. GET MEDICAL ATTENTION IF IRRITATION
PERSISTS AFTER FLOODING.

IF SWALLOWED: DO NOT INDUCE VOMITING. IF CONSCIOU, GIVE LOTS OF
WATER. GET IMMEDIATE MEDICAL ATTENTION. DO NOT GIVE ANYTHING BY
MOUTH TO AN UNCONSCIOUS OF CONVULSING PERSON. MOUTH TO AN UNCONSCIOUS OF CONVULSING PERSON. *** SECTION VII: Precautions for Safe Handling and Use *** Steps to be Taken in Case Material is Released or Spilled:
WASH OR DILUTE WITH COPIOUS QUANTITIES OF WATER.
Waste Disposal Method:
NO SPECIAL REQUIREMENTS IF DILUTED WITH WATER.
NOTE: DISPOSE OF ALL WASTES IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Precautions to be Taken in Handling and Storage: NO SPECIAL MEASURE NECESSARY.

Other Precautions:

*** SECTION VIII: Control Measures ***

Container Type: Ventilation? Pressurized? Respiratory Protection: AVOPID INHALING OF FUMES.

Ventilation: GOOD PRACTIVE TO USE IN VENTILATED AREA.

10/18/06

BSG USA MSDS # 03132 Material Safety Data Sheet Page:

3

*** SECTION VIII: Control Measures *** (cont.)

Protective Gloves: FOR LARGE QUANTITIES IT IS RECOMMENDED TOUSE PLASTIC GLOVES.
Eye Protection:
AVOID AT ALL COSTS GETTING INTO EYES.
Work/Hygienic Practices:
NO SPECIAL MEASURES NECESSARY.

This MSDS covers these requested SKUs:

SKU	SIZE	DESCRIPTION	
571344	4.2 OZ	PM SHINES	PROCESSING LIQUID
571345	16.9 OZ		PROCESSING LIQUID
571346	32 OZ		PROCESSING LIQUID
