MSDS # 00651 Material Safety Data Sheet

Supercharged Conditioner

\*\*\* SECTION I: General Information (Product Manufacturer) \*\*\*

PAUL MITCHELL SYSTEMS Emer. Phone: ( ) - 26455 RUETHER AVENUE Info. Phone: (909) 598-1951 SANTA CLARITA CA 91350-0000 Date Prepared: 3/14/02 H=Haz/O=ORM-D:

\*\*\* SECTION II: Hazardous Ingredients/Identity Information \*\*\*

Hazardous Component CAS Req # OSHA PEL

NA

ACGIH TLV: Other: ક્ર

\_\_\_\_\_ \*\*\* SECTION III: Physical/Chemical Characteristics \*\*\*

Specific Gravity: nl Method: nl

Melting Point: nl Evaporation Rate: <ether Boiling Point: 98-100C Vapor Pressure: nl Vapor Density: >air Solubility in Water: nl

Appearance and Odor: white to off white opaque uniform cream

\*\*\* SECTION IV: Fire and Explosion Hazard Data \*\*\*

Flash Point: >160 F Flammable Limits: LEL nl Method: TCC

Extinguishing Methods:
foam, CO2, water fog, and sand/earth
Special Fire Fighting Procedures:
must wear NIOSH approved self contained breathing apparatus
cool fire-exposed container with water spray
Unusual Fire and Explosion Hazards:

thermal decomposition may produce toxic fumes or oxides of carbon

\*\*\* SECTION V: Reactivity Data \*\*\*

Stability: Stable

Corrosive?

Polymerization? N

Conditions to Avoid:

none

Incompatibility:
heat and strong oxidizing agents
Hazardous Decomposition or Byproducts:

CO CO2

Hazardous Polymerization:

nl

Polymerization Conditions:

nl

Page: 2

\*\*\* SECTION VI: Health Hazard Data \*\*\*

Skin? X Eye? Route(s) of Entry: Inhalation? Ingestion? X

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Health Hazards (Acute and Chronic):

nl

Signs and Symptoms of Exposure:

nl Medical Conditions Aggravated by Exposure:

nl

Emergency and First Aid Procedures:
Eye: flush with copious amount of water. if irritation persists, consult doctor. Ingestion: give 3-4 glasses of water. do not give anything by

mouth to an unconcious or convulsing person. get medical attention

\*\*\* SECTION VII: Precautions for Safe Handling and Use \*\*\*

Steps to be Taken in Case Material is Released or Spilled: floors may be slippery. absorb large spilled material with inert

material.sweep and dispose
Waste Disposal Method:
this material is not classified equitable, hazardous waste use
methods consistent with federal, state and local regulations
Precautions to be Taken in Handling and Storage:
standard GMP indicated

Other Precautions:

nl

\*\*\* SECTION VIII: Control Measures \*\*\*

Ventilation? N Pressurized? Respiratory Protection:

Container Type:

na Ventilation:

nlProtective Gloves:

na

na

Eye Protection:

nl

Work/Hygienic Practices:

This MSDS covers these requested SKUs:

SKU SIZE DESCRIPTION

570120 6.8 OZ PM SUPER CHARGED CONDITIONER 16.9 OZ PM SUPER CHARGED CONDITIONER 570121

Page: 3

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*