

Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200



WHMIS Class E: Corrosive liquid. WHMIS CLASS D-2: Material causing other toxic effects.

Class: Corrosive material

WHMIS (Pictograms)

TSCA

DSL/ NDSL

WHMIS (Classification)

TSCA Inventory: All components listed or are exempt from listing.

All components listed unless noted elsewhere on this MSDS

HCS

Protective Clothing

Section 1. Chemical Product and Company Identification			
Product Name/ Trade name	Sure Bet (At 1:20 Dilution)	Code	324
Synonym	Foaming Shower/Restroom/Cleaner	CAS#	Not applicable.
Chemical Family	Not Applicable	Validation Da	ate 3/2/2010
Chemical Formula	Not applicable.	Print Date	3/3/2010
Manufacturer/ Supplier		In Case of Emergency	Chemtrec (800) 424-9300

Section 2. Composition and Information on Ingredients				
Name	CAS#	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Phosphoric Acid	7664-38-2	0.1 - 1	TWA: 1 mg/m³ OSHA (United States). TWA: 1 mg/m³ STEL: 3 mg/m³	Not available.

Section 3. Hazards Identification		
Potential Acute Health Effects	Corrosive to skin and eyes on contact. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath.	
Potential Chronic Health Effects	Over-exposure by inhalation may cause respiratory irritation. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation.	
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.	

Section 4. First Aid Measures		
Eye Contact	Causes severe eye and skin irritation. IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.	
Skin Contact	Corrosive to eyes and skin. Wash gently and thoroughly the contaminated skin with running water and non abrasive soap for 15 minutes. Seek medical attention.	
Inhalation	Evacuate the victim to a safe area as soon as possible. Seek medical attention.	
Ingestion	DO NOT induce vomiting. Have conscious person drink several glasses of water or milk. Seek immediate medical attention.	

Section 5. Fire Fighting Measures		
Products of Combustion	Not available.	
Fire Fighting Media and Instructions	Non-flammable substance.	
Special Remarks on Fire Hazards	N/A	
Special Remarks on Explosion Hazards	N/A	

Section 6. Accidental Release Measures		
Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.	
Large Spill and Leak	Prevent entry into sewers, basements or confined areas. Wear Protective Clothing. Absorb with an inert material and put the spilled material in an appropriate waste disposal.	
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.	

Section 7. Handling and Storage		
Precautions	Avoid contact with skin and eyes. DO NOT ingest. Use only in well ventilated areas.	
Incompatibility	acids oxidizing agents	
Storage	Keep out of the reach of children. Not for use or storage in or around the home.	

Section 8. Expos	ure Controls/Personal Protection
Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection Ey	<i>es</i> Splash goggles.
Вос	dy Lab coat.
Respirato	ry Wear appropriate respirator when ventilation is inadequate.
Hand	ds Gloves (impervious).
Protective Clothing (Pictograms)	
Exposure Limits	Phosphoric Acid TWA: 1 (mg/m³) TWA: 1 (mg/m³) from OSHA (PEL) STEL: 3 (mg/m³)
	Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties			
Physical State and Appearance	Liquid.	Odor	Pleasant.
Molecular Weight	Not applicable.	Taste	Not available.
рН	1.5 to 2 [Acidic.]	Color	Green.
Boiling/Condensation Point	88°C (190.4°F)		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.06 (Water = 1)		
Vapor Pressure	<20 mm of Hg (@ 20°C)		
Vapor Density	>1 (Air = 1)		
Volatility	Not available.		
VOC	Not available.		
Evaporation Rate	<1 compared to Water		
Dispersion Properties	See solubility in water.		
Solubility	Soluble		
The Product is:	May be combustible at high temperature.		
Auto-ignition Temperature	Not available.		
Flash Points	None to Boiling (TCC)		
Flammable Limits	Not available.		
Fire Hazards in Presence of Various Substances	No specific information is available in our in presence of various materials.	database	regarding the flammability of this product
Explosion Hazards in Presence of Various Substances	Not applicable		

Section 10. Stability and Reactivity Data	
Stability	The product is stable.
Incompatibility with Various Substances	acids oxidizing agents
Hazardous Decomposition Products	Not available.

Section 11. Toxicological Information		
Routes of Entry	Absorbed through skin. Eye contact. Inhalation. Ingestion.	
Toxicity to Animals	Acute oral toxicity (LD50): 4610 mg/kg [Rat]. (Nonionic Surfactant).	
Acute Effects on Humans		
Eyes	Severe eye irritant. Liquid and mist may burn or injure the eyes.	
Skin	Severe skin irritant. Prolonged or repeated contact can cause chemical burns or dermatitis.	
Inhalation	Inhalation May be irritating to mucous membranes of the nose, throat, and lungs.	
Ingestion	May be irritating to the mouth, throat, and gastrointestinal system. Nausea, vomiting, and diarrhea expected with large doses. May be fatal if swallowed.	
Chronic Effects on Humans	Over-exposure by inhalation may cause respiratory irritation. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation.	
Special Remarks on Toxicity to Animals	No additional remark.	
Special Remarks on Chronic Effects on Humans	No additional remark.	

Section 12. Ecological Information		
Ecotoxicity	Not available.	
BOD5 and COD	Not available.	
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.	
Toxicity of the Products of Biodegradation	f Not available.	
Special Remarks on the Products of Biodegradation	No additional remark.	

Section 13. Disposal Considerations			
Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.		
Waste Stream	Not available.		

Section 14. Transport Information

DOT (U.S.A) (Pictograms)



TDG Classification 8



PIN UN, Proper Shipping Shipping name: Corrosive liquids n.o.s. UNNA: 1760 PG: III Name, PG

Maritime Transportation Not available.

Special Provisions for

Transport

Not available.

**************************************	MUMIC Class E. C.	Control Control AVIIIAIO OLACO D.O. Material			
WHMIS (Classification)	WHMIS Class E: Corrosive liquid. WHMIS CLASS D-2: Material causing other toxic effects.				
Regulatory Lists	All components Found on DSL				
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).				
Other Classifications	HCS (U.S.A.)	Class: Corrosive material			
	USA Regulatory Lists				
		SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Phosphoric Acid SARA 313 toxic chemical notification and release reporting: Phosphoric Acid			
	DSD (EEC)	R35- Causes severe burns.			
	International Regulations Lists	No products were found.			
Hazardous Material Information System (U.S.A.)	Health Flammability Physical Hazard	3 National Fire 0 Protection Association	Health 3 0 Instability		

Validated by CRushton on 8/22/2005. Verified by CRushton. Printed 8/22/2005. Information Contact Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 8/22/2005.	Sure Bet (At 1:20 Dilution)	Page: 6/6

Continued on Next Page