The Color Cream Developer (10 or 20 Volume)

_____ *** SECTION I: General Information (Product Manufacturer) *** PAUL MITCHELL SYSTEMS
26455 RUETHER AVENUE

SANTA CLARITA
CA 91350-0000
EPA #:

Emer. Phone: (800) 424-9300
Info. Phone: () Date Prepared: 3/14/02
H=Haz/O=ORM-D: *** SECTION II: Hazardous Ingredients/Identity Information *** Hazardous Component CAS Rea # OSHA PEL hydrogen peroxide ACGIH TLV: Other: 용: *** SECTION III: Physical/Chemical Characteristics *** Specific Gravity: 1.0122 Method: nl Vapor Pressure: nl
Vapor Density: na
Solubility in Water: soluble
Appearance and Odor:
white lotion, practically odorless Melting Point: nl Evaporation Rate: nl Boiling Point: nl *** SECTION IV: Fire and Explosion Hazard Data *** Flash Point: na F Flammable Limits: LEL na Method: na UEL na Extinguishing Methods: water spray Special Fire Fighting Procedures: nl Unusual Fire and Explosion Hazards: combustible *** SECTION V: Reactivity Data *** Stability: Not Stable Corrosive? Polymerization? Conditions to Avoid: excessive heat adn contamination of any kind Incompatibility: reducing agents, combustible materials such as wood, cloth or organic materials, metals such as iron, copper and their allows, dirt. Hazardous Decomposition or Byproducts: nl

Hazardous Polymerization: nl

Polymerization Conditions: nl

Page: 2 BSG USA MSDS # 00655 Material Safety Data Sheet

*** SECTION VI: Health Hazard Data ***

Skin? Eye? Ingestion? Route(s) of Entry: Inhalation?

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Health Hazards (Acute and Chronic):

nl Signs and Symptoms of Exposure:
Inhaled: may irritate nose and throat
Eye: corrosive, may burn they eyes. direct contact may cause irreversible damage Skin: brief exposure will bleach the skin (effects are temporary) prolonged contact may irritate skin and cause blisters swallowed: is severly irritating to the mouth and throat. swallowing causes irritation and could lead to internal bleeding.

Medical Conditions Aggravated by Exposure:

Emergency and First Aid Procedures:
Inhaled: remove to fresh air
Eye: immediately flush eyes with lots of running water for 15 min
lifting the upper and lower eyelids occasionally. GET
IMMEDIATE MEDICAL ATTENTION Skin: flood skin with lots of water. remove contaminated clothing get medical attention if irritation persists after flooding. swallowed: DO NOT INDUCE VOMITING. If concious, give lots of water. GET IMMEDIATE MEDICAL ATTENTION. Do not give anything by mouth to an unconcious or a control tube to provent increased NOTE TO PHYSICIAN: Insert a gastric tube to prevent increased pressure that may result from the rapid evolution of oxygen.

*** SECTION VII: Precautions for Safe Handling and Use ***

Steps to be Taken in Case Material is Released or Spilled: wash or dilute with copious amounts of water Waste Disposal Method:

no special requirements if diluted with water.

Precautions to be Taken in Handling and Storage: store in a cool, dry place. Store in a properly vented container never return unused peroxide to original container. always open cap away from face. Other Precautions:

*** SECTION VIII: Control Measures ***

Ventilation? Pressurized? Container Type:

Respiratory Protection: avoid inhaling of fumes
Ventilation:

Protective Gloves:

it is recommended to use plastic gloves for prolonged cotact

BSG USA 10/18/06

MSDS # 00655 Material Safety Data Sheet

3

Page:

*** SECTION VIII: Control Measures *** (cont.)

Eye Protection: at all costs, avoid getting in eyes
Work/Hygienic Practices:
good practice to wash hands before eating

This MSDS covers these requested SKUs:

SKU	SIZE	DESCRIPTION	
570009 570010	32 OZ 32 OZ	PM THE COLOR 10 VOL DEVELOPER PM THE COLOR 20 VOL DEVELOPER	_
