

**MATERIAL SAFETY DATA SHEET**  
COMPLIES WITH OSHA'S HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)

**SECTION I - PRODUCT IDENTIFICATION**

**Product Name:** FRESH LINEN  
**Product Number:** K247  
**Product Type:** AEROSOL  
**Formula:** Proprietary  
**Distributor's Name:** Kayline Company  
**Distributor's Address:** P.O. Box 603207, Cleveland, OH 44103  
**DOT Ship Description:** CONSUMER COMMODITY, ORM-D

**Date Prepared:** 10/4/2011  
**Information Phone:** (800) 426-5820  
**Emergency Phone:** (800) 535-5053

**HMS Rating (Based on Aerosol Conc.):**

0-Minimal 1-Slight 2-Moderate  
3-Serious 4-Extreme

HEALTH:	1*
FLAMMABILITY:	4
PHYSICAL HAZARD:	0
Personal Protection:	A

**SECTION II - INGREDIENTS**

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>%WT</u>	<u>313/Chem</u>	<u>Skin</u>	<u>Carcinogen</u>	<u>PEL</u>	<u>TLV-TWA</u>
Acetone	67-64-1	60 - 70	NO	NO	NO	1000 ppm	500 ppm
Liquefied Petroleum Gas	68476-86-8	25 - 35	NO	NO	NO	1000 ppm	1000 ppm
Non-hazardous & other components below reportable levels		1 - 2.5					

**SECTION III - PHYSICAL DATA**

**Boiling Point:** 77 °F (estimated)      **Specific Gravity (H2O=1)@70 °F:** 0.6944 (estimated)  
**pH:** N/A      **Solubility In Water:** Complete  
**Appearance/Odor:** Clear, colorless liquid with characteristic odor.      **Vapor Density(Air=1):** >1  
**Total VOC %:** <= 30.00 %      **Vapor Pressure (can; psig @70 °F):** 50 - 60 psig

**SECTION IV - FIRE AND EXPLOSION DATA**

**Flash Point:** - 156 °F (propellant)      **Flammability (as per CSMA Flame Projection Test):** Flammable Spray  
**Extinguishing Media:** Foam, CO2, Dry Media  
**Special Fire Fighting Procedures:** Wear self-contained breathing apparatus and protective clothing. Cool fire exposed containers to prevent rupturing.  
**Unusual Fire and Explosion Hazards:** Exposure to temperature above 120 °F may cause bursting.

**SECTION V - REACTIVITY DATA**

**Stability:** Material Stable.      **Hazardous Polymerization:** Will not Occur.  
**Incompatibility:** Heat, flames, and sparks.  
**Hazardous Decomposition Products:** Carbon Dioxide, Carbon Monoxides.

**SECTION VI - STORAGE AND HANDLING**

**KEEP OUT OF REACH OF CHILDREN.**      **NFPA Code 30B Rating:** Level 3 Aerosol.  
For Industrial and Institutional use only.  
Store in a cool, dry area away from heat or open flame.  
Do not store at temperatures above 120 °F.

**SECTION VII - HEALTH AND FIRST AID**

**PRIMARY ROUTES OF ENTRY & EFFECTS OF OVER EXPOSURE:**

**Eyes:** Contact may cause severe eye irritation. Prolonged overexposure to vapors may cause moderate irritation.  
**Skin:** Prolonged or repeated contact can result in defatting and drying of skin which may result in irritation and dermatitis.  
**Inhalation:** Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Prolonged inhalation may be harmful and can cause discomfort in the chest and delayed lung damage.  
**Ingestion:** Though exposure by ingestion is unlikely, components of the product may be absorbed into the body if ingested. In sufficient quantities, absorbed components may have toxic effect. Aspiration of the material into lungs may cause lung damage.

**FIRST AID PROCEDURES:**

**Eyes:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops or persists.  
**Skin:** Wash off with warm water and soap. Get medical attention if irritation develops or persists.  
**Inhalation:** If symptoms develop move victim to fresh air. If symptoms persist, get medical attention.  
**Ingestion:** Have victim rinse mouth thoroughly with water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. In the unlikely event of swallowing, contact a physician or poison control center.

**SECTION VIII - SPECIAL PROTECTION DATA**

**Respiratory Protection:** None needed for proper use in accordance with label directions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
**Ventilation:** None needed for proper use in accordance with label directions.  
**Protective Gloves:** Wear appropriate chemical resistant gloves if hand contact will be made.  
**Eye Protection:** Wear chemical proof goggles.

**SECTION IX - SPILL OR LEAK PROTECTION**

**STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK:** Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.  
**WASTE DISPOSAL METHOD:** Contents under pressure. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.

N/A= NOT APPLICABLE · N/E=NOT ESTABLISHED · N/D=NOT DETERMINED · <=LESS THAN · >=MORE THAN

**NOTICE:** The information contained on this Material Safety Data Sheet is considered accurate as of the date of publication. It is not necessarily all inclusive nor fully adequate in every circumstance. The suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, express or implied, of merchantability, fitness, accuracy of data, or the results to be obtained from the use thereof is made. The vendor assumes no responsibility for injury or damages resulting from the inappropriate use of this product.