Page: 1 7/31/07 BSG USA Material Safety Data Sheet MSDS # 00682 Bodifying shampoo \*\*\* SECTION I: General Information (Product Manufacturer) \*\*\* JOHN PAUL MITCHELL Emer. Phone: ( Info. Phone: (909) 598-1951 -0000 Date Prepared: 3/15/02 H=Haz/O=ORM-D: H EPA #: \*\*\* SECTION II: Hazardous Ingredients/Identity Information \*\*\* Hazardous Component CAS Req # NΑ ₽: ACGIH TLV: Other: \*\*\* SECTION III: Physical/Chemical Characteristics \*\*\* Method: nl Specific Gravity: nl Vapor Pressure: nl Melting Point: nl Evaporation Rate: <ether Vapor Density: >air Solubility in Water: nl Boiling Point: 96-100C Appearance and Odor: colorless to pale straw, clear to slightly hazy, uniform liquid \*\*\* SECTION IV: Fire and Explosion Hazard Data \*\*\* Flammable Limits: LEL nl Flash Point: >140 F UEL nl Method: TCC Extinguishing Methods: foam, CO2, water fog, sand/earth Special Fire Fighting Procedures: must wear NIOSH approved self contained breathing apparatus. Cool fire-exposed containers with water spray Unusual Fire and Explosion Hazards: thermal decomposition may produce toxic fumes of oxides of carbon and sulfur \*\*\* SECTION V: Reactivity Data \*\*\* Stability: Stable Corrosive? Polymerization? Conditions to Avoid: none Incompatibility: keep away from heat and strong oxidizing agents Hazardous Decomposition or Byproducts: CO, CO2, sulfur oxides

Hazardous Polymerization:

Polymerization Conditions:

nl.

nl

Page: 2 7/31/07 BSG USA MSDS # 00682 Material Safety Data Sheet \*\*\* SECTION VI: Health Hazard Data \*\*\* Ingestion? X Route(s) of Entry: Inhalation? Skin? X Eye? Carcinogenicity: NTP? IARC Monographs? OSHA Regulated? Health Hazards (Acute and Chronic): nl. Signs and Symptoms of Exposure: nl Medical Conditions Aggravated by Exposure: nl Emergency and First Aid Procedures: Inhalation: NA Skin: may be irritating to extra-sensitive skin, flush with water get medical attention if persits. Eye: flush with copious amount of water. if irritation perrsists, consult a doctor ingestion: give 3-4 glasses of water. do not give anything by mouth to an unconcious or convulsing person, get medical attention. \*\*\* SECTION VII: Precautions for Safe Handling and Use \*\*\* Steps to be Taken in Case Material is Released or Spilled: floors may become slippery. absorb large spilled material with inert material. sweep up and dispose of. Waste Disposal Method: this material is not classified as an equitable, hazardous waste. use methods consistent with federal, state and local regulations Precautions to be Taken in Handling and Storage: standard GMP indicated Other Precautions: nl \*\*\* SECTION VIII: Control Measures \*\*\* Ventilation? Pressurized? Container Type: Respiratory Protection: na Ventilation: nlProtective Gloves: na Eye Protection: na Work/Hygienic Practices: nl This MSDS covers these requested SKUs: DESCRIPTION SIZE

PM MOD ELX BODIFYING SHAMPOO

SKU

571514

8.5 OZ

7/31/07 MSDS # 00682 BSG USA Material Safety Data Sheet Page: