7/31/07 BSG USA Page: 1 MSDS # 00621 Material Safety Data Sheet

Sculpting Gel

*** SECTION I: General Information (Product Manufacturer) ***

PAUL MITCHELL SYSTEMS 26455 RUETHER AVENUE

Emer. Phone: (909) 598-1951 Info. Phone: (909) 598-1951 SANTA CLARITA CA 91350-0000 Date Prepared: 3/13/02

H=Haz/O=ORM-D:

*** SECTION II: Hazardous Ingredients/Identity Information ***

Hazardous Component

CAS Req # OSHA PEL

nl

ACGIH TLV:

Other:

8:

*** SECTION III: Physical/Chemical Characteristics ***

Specific Gravity: nl Vapor Pressure: nl Vapor Density: nl Solubility in Water: nl

Method: nl Melting Point: nl Evaporation Rate: <ether Boiling Point: 90-100F

Appearance and Odor:

colorless to very pale straw. clear to slightly hazy liquid

*** SECTION IV: Fire and Explosion Hazard Data ***

Flash Point: >150 F

Flammable Limits: LEL nl

Method: tcc

UEL nl

Extinguishing Methods:

Foam, carbon dioxide, water fog, sand/earth

Special Fire Fighting Procedures:

must wear NIOSH approved self-contained beathing apparatus, cool

fire-exposed containers with water spray. Unusual Fire and Explosion Hazards:

thermal decomposition may product toxic fumes of oxides of carbon

*** SECTION V: Reactivity Data ***

Stability: Stable

Corrosive?

Polymerization? N

Conditions to Avoid:

none

Incompatibility:

keep away from heat and strong oxidizing agents Hazardous Decomposition or Byproducts:

carbon monoxide, carbon dioxide

Hazardous Polymerization:

nl

Polymerization Conditions:

nl

7/31/07 BSG USA Page: MSDS # 00621 Material Safety Data Sheet *** SECTION VI: Health Hazard Data *** Ingestion? X Route(s) of Entry: Inhalation? Skin? X Eye? IARC Monographs? OSHA Regulated? Carcinogenicity: NTP? Health Hazards (Acute and Chronic): nlSigns and Symptoms of Exposure: nl Medical Conditions Aggravated by Exposure: nl Emergency and First Aid Procedures: inhalation: na skin: may be irritating to extra sensitive skin. flush with water get medical attention if persists. eye: flush with copious amounts of water. if irritation persists ingestion: if swallowed, give 3-4 glasses of water. DO NOT give anything by mouth to an unconcious or convulsing person. obtain medical attention *** SECTION VII: Precautions for Safe Handling and Use *** Steps to be Taken in Case Material is Released or Spilled: floors may become slippery. absorb spilled material with inert material such as sawdust, earth or sand. sweep up and dispose in accordance with federal, state and local regulations Waste Disposal Method: this material is not classified as an equitable, hazardous waste. use methods consistent with local, federal and state regulations Precautions to be Taken in Handling and Storage: standard CGMP indicated Other Precautions: none *** SECTION VIII: Control Measures *** Ventilation? N Pressurized? Container Type: Respiratory Protection: na Ventilation: na Protective Gloves: none Eye Protection:

chemical splash goggles

Work/Hygienic Practices:

7/31/07 MSDS # 00621 BSG USA

Material Safety Data Sheet

Page: 3

This MSDS covers these requested SKUs:

SKU	SIZE	DESCRIPTION
570236	6.8 OZ	PM .1% SUPER CLEAN SCULPTING GEL
570236 570541	6.8 OZ .25 OZ	PM SUPER CLEAN SCULPTING GEL .1:

*********************** *The information contained herein is based on the data available* *to us and is believed to be correct to the best of our ability.*

^{*}However, Sally Beauty Company makes no warranty, expressed or *

^{*}implied regarding the accuracy of this data nor assumes any

^{*}responsibility for injury from the intentional or non-