

World Headquarters  
Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

MSDS No: M00621

# SAFETY DATA SHEET

---

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sulfuric Acid Standard Solution 0.035 N  
**Catalog Number:** 2349732

Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

Emergency Telephone Numbers:  
(Medical and Transportation)  
(303) 623-5716 24 Hour Service  
(515)232-2533 8am - 4pm CST

**MSDS Number:** M00621  
**Chemical Name:** Not applicable  
**CAS Number:** Not applicable  
**Additional CAS No. (for hydrated forms):** Not applicable  
**Chemical Formula:** Not applicable  
**Chemical Family:** Mixture  
**Intended Use:** Laboratory Reagent Standard solution

---

## 2. HAZARDS IDENTIFICATION

**GHS Classification:**  
**Hazard categories:** . Serious Eye Damage/Eye Irritation: Eye Dam. 1  
**GHS Label Elements:**  
DANGER



**Hazard statements:** . Causes serious eye damage.  
**Precautionary statements:** Wear eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical advice/attention.

**HMIS:**  
**Health:** 3  
**Flammability:** 1  
**Reactivity:** 0  
**Protective Equipment:** X - See protective equipment, Section 8.

**NFPA:**  
**Health:** 3  
**Flammability:** 1  
**Reactivity:** 0  
**Symbol:** Not applicable

**WHMIS Hazard Classification:** Class D, Division 2, Subdivision B - Toxic material (other toxic effects)  
**WHMIS Symbols:** Other Toxic Effects

---

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous Components according to GHS:**  
**Isopropanol**

**CAS Number:** 67-63-0

**Chemical Formula:** C<sub>3</sub>H<sub>8</sub>O

**GHS Classification:** Flam. Liq. 2, H225; Eye Irrit. 2A, H319; STOT SE 3, H336; STOT RE 2, H373

**Percent Range:** 1.0 - 5.0

**Percent Range Units:** weight / weight

**PEL:** 400 ppm (980 mg/m<sup>3</sup>)

**TLV:** 200 ppm (492 mg/m<sup>3</sup>)

**WHMIS Symbols:** Flammable / Combustible Other Toxic Effects

#### **Sulfuric Acid**

**CAS Number:** 7664-93-9

**Chemical Formula:** H<sub>2</sub>SO<sub>4</sub>

**GHS Classification:** Met. Corr. 1 H290; Skin Corr. 1A, H314; Aquatic Acute 3, H402

**Percent Range:** < 0.5

**Percent Range Units:** weight / weight

**PEL:** 1 mg/m<sup>3</sup>

**TLV:** 1 mg/m<sup>3</sup>

**WHMIS Symbols:** Acute Poison Corrosive

**Hazardous Components according to GHS:** No

#### **Demineralized Water**

**CAS Number:** 7732-18-5

**Chemical Formula:** H<sub>2</sub>O

**GHS Classification:** Not a dangerous substance according to GHS.

**Percent Range:** >95.0

**Percent Range Units:** weight / weight

**PEL:** Not established

**TLV:** Not established

**WHMIS Symbols:** Not applicable

---

## **4. FIRST AID MEASURES**

**General Information:** In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

**Advice to doctor:** Treat symptomatically.

**Eye Contact:** Immediately flush eyes with water for 15 minutes. Call physician.

**Skin Contact (First Aid):** Wash skin with plenty of water. Call physician if irritation develops.

**Inhalation:** Remove to fresh air. If you feel unwell, contact a physician

**Ingestion (First Aid):** Rinse mouth with plenty of water. Give large quantities of water. Never give anything by mouth to an unconscious person. If you feel unwell, contact a physician.

---

## **5. FIRE FIGHTING MEASURES**

**Flammable Properties:** Material is not classified as flammable according to GHS criteria. May be combustible at high temperature.

**Fire Fighting Instruction:** As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

**Extinguishing Media:** Water. Carbon dioxide Dry chemical.

**Extinguishing Media NOT To Be Used:** Not applicable

**Fire / Explosion Hazards:** May react violently with: strong oxidizers strong bases alkali metals

**Hazardous Combustion Products:** Toxic fumes of: sulfur oxides. carbon monoxide, carbon dioxide.

---

## **6. ACCIDENTAL RELEASE MEASURES**

**Spill Response Notice:**

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

**Containment Technique:** Stop spilled material from being released to the environment. Absorb spilled liquid with non-reactive sorbent material. Releases of this material may contaminate the environment.

**Clean-up Technique:** Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Decontaminate the area of the spill with a soap solution. If permitted by regulation, Flush reacted material to the drain with a large excess of water. Otherwise, Dispose of in accordance with local, state and federal regulations or laws.

**Evacuation Procedure:** Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

**DOT Emergency Response Guide Number:** Not applicable

---

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes skin clothing Wash thoroughly after handling. Use with adequate ventilation. Do not breathe mist or vapors. Maintain general industrial hygiene practices when using this product.

**Storage:** Keep container tightly closed when not in use. Keep this product in its original container when not in use. Store in a cool, well-ventilated place. Keep away from: oxidizers metals bases Protect from: heat sparks, flames and other ignition sources

**Flammability Class:** Class IIIB

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Have an eyewash station nearby. Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.

**Personal Protective Equipment:**

**Eye Protection:** chemical splash goggles Suitable facilities (eyewash station or bottle) for flushing of the eyes

**Skin Protection:** nitrile gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. lab coat

**Inhalation Protection:** adequate ventilation

**Precautionary Measures:** Avoid contact with: eyes skin clothing Wash thoroughly after handling. Use with adequate ventilation. Do not breathe: mist/vapor Keep away from: oxidizers metals bases Protect from: heat sparks, flames and other ignition sources freezing

**TLV:** Not established

**PEL:** Not established

**For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:**

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear, colorless liquid

**Physical State:** Liquid

**Molecular Weight:** Not applicable

**Odor:** Alcoholic

**Odor Threshold:**

**pH:** 1.6

**Metal Corrosivity:**

**Corrosivity Classification:** Not classified as corrosive to metals according to GHS criteria.

**Steel:** 0.055 in/yr

**Aluminum:** 0.041 in/yr

**Specific Gravity/ Relative Density (water = 1; air =1):** 0.9943

**Viscosity:**

**Solubility:**

**Water:** Soluble

**Acid:** Soluble

**Other:**

**Partition Coefficient (n-octanol / water):** Not applicable

**Coefficient of Water / Oil:** Not applicable

**Melting Point:**

**Decomposition Temperature:**

**Boiling Point:**

**Vapor Pressure:**

**Vapor Density (air = 1):**

**Evaporation Rate (water = 1):** 0.86

**Volatile Organic Compounds Content:**

**Flammable Properties:** Material is not classified as flammable according to GHS criteria. May be combustible at high temperature.

**Flash Point:**

**Method:** Closed cup

**Flammability Limits:**

**Lower Explosion Limits:** Not determined

**Upper Explosion Limits:** Not determined

**Autoignition Temperature:** Not determined

**Explosive Properties:**

Not classified according to GHS criteria.

**Oxidizing Properties:**

Not classified according to GHS criteria.

**Reactivity Properties:**

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

**Gas under Pressure:**

Not classified according to GHS criteria.

---

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable when stored under proper conditions.

**Mechanical Impact:** None reported

**Static Discharge:** None reported.

**Reactivity / Incompatibility:** Incompatible with: oxidizers reducers potassium-tert-butoxide cobalt chloride aluminum oleum nitro compounds metals chlorosulfonic acid

**Hazardous Decomposition:** In a fire, can release toxic fumes of: sulfur oxides carbon monoxide carbon dioxide

**Conditions to Avoid:** Contact with heat, sparks, open flames or other ignition sources. Extreme temperatures Excessive heat Contact with oxidizers Poor Ventilation Incompatibles

---

## 11. TOXICOLOGICAL INFORMATION

**Toxicokinetics, Metabolism and Distribution:** No information available for mixture.

**Toxicologically Synergistic Products:** None reported

**Acute Toxicity:** Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data Practically Non-toxic Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure (STOT-SE):** Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeat Exposure (STOT-RE):** Based on classification principles, the classification criteria are not met.

**Skin Corrosion/Irritation:** Mildly irritating to skin.

**Eye Damage:** Corrosive to eyes. Assessment based on pH

**Sensitization:** Based on classification principles, the classification criteria are not met.

**CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction):** Based on classification principles, the classification criteria are not met.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

An ingredient of this mixture is: NTP Listed Group 1: Recognized Carcinogen

Sulfuric Acid Mist or Vapor

This product does NOT contain any OSHA listed carcinogens.

**Symptoms/Effects:**

**Ingestion:** May cause: irritation of the mouth and esophagus Very large doses may cause: drowsiness dizziness incoordination headache abdominal pain nausea vomiting diarrhea blood pressure problems rapid pulse and respirations burns of the mouth, esophagus and stomach

**Inhalation:** Large doses may cause: central nervous system effects burning sensation burns

**Skin Absorption:** No effects anticipated

**Chronic Effects:** Chronic overexposure may cause central nervous system effects destruction of any tissue contacted

**Medical Conditions Aggravated:** Pre-existing: Skin conditions Eye conditions Respiratory conditions Central nervous system diseases

---

## 12. ECOLOGICAL INFORMATION

**Product Ecological Information:** --

No ecological data available for this product. Based on classification principles, not classified as hazardous to the environment. No bioaccumulation potential Mobility in soil: Highly mobile

Method Used for Estimation of Aquatic Toxicity of Mixture Summation Method M-factor (Multiplier) for highly toxic ingredients: 1

**Ingredient Ecological Information:**

CEPA categorization for each and every ingredient: Persistent Not bioaccumulative and not inherently toxic to aquatic organisms.

---

## 13. DISPOSAL CONSIDERATIONS

**EPA Waste ID Number:** D002

**Special Instructions (Disposal):** Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation, Open cold water tap completely, slowly pour the reacted material to the drain. Flush system with plenty of water. Otherwise, Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

**Empty Containers:** Rinse three times with an appropriate solvent. Working in a well-ventilated area, Collect rinsate and dispose of according to local, state or federal regulations. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste. Dispose of empty container as normal trash.

**NOTICE (Disposal):** These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

---

## 14. TRANSPORT INFORMATION

**D.O.T.:**

**D.O.T. Proper Shipping Name:** Not Currently Regulated

--

**Hazard Class:** NA

**Subsidiary Risk:** NA

**ID Number:** NA

**Packing Group:** NA

**T.D.G.:**

**Proper Shipping Name:** Not Currently Regulated

--

**Hazard Class:** NA

**Subsidiary Risk:** NA

**UN Number/PIN:** NA

**Packing Group:** NA

**I.C.A.O.:**

**I.C.A.O. Proper Shipping Name:** Not Currently Regulated

--

**Hazard Class:** NA

**Subsidiary Risk:** NA

**ID Number:** NA

**Packing Group:** NA

**I.M.O.:**

**Proper Shipping Name:** Not Currently Regulated

--

**Hazard Class:** NA

**Subsidiary Risk:** NA

**ID Number:** NA

**Packing Group:** NA

**Additional Information:** There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

---

## 15. REGULATORY INFORMATION

### **U.S. Federal Regulations:**

**O.S.H.A.:** This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

### **E.P.A.:**

**S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370):** Immediate (Acute) Health Hazard

**S.A.R.A. Title III Section 313 (40 CFR 372):** This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

**302 (EHS) TPQ (40 CFR 355):** Sulfuric Acid 1000 lbs.

**304 CERCLA RQ (40 CFR 302.4):** Sulfuric Acid 1000 lbs.

**304 EHS RQ (40 CFR 355):** Sulfuric Acid - RQ 1000 lbs.

**Clean Water Act (40 CFR 116.4):** Sulfuric acid - RQ 1000 lbs.

**RCRA:** Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

### **State Regulations:**

**California Prop. 65:** No Prop. 65 listed chemicals are present in this product.

**Identification of Prop. 65 Ingredient(s):** None

**California Perchlorate Rule CCR Title 22 Chap 33:** Not applicable

**Trade Secret Registry:** Not applicable

### **National Inventories:**

**U.S. Inventory Status:** All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

**CAS Number:** Not applicable

**Canadian Inventory Status:** All ingredients of this product are DSL Listed.

**EEC Inventory Status:** All ingredients used to make this product are listed on EINECS / ELINCS.

**Australian Inventory (AICS) Status:** All ingredients are listed.

**New Zealand Inventory (NZIoC) Status:** All components either listed or exempt.

**Korean Inventory (KECI) Status:** All components of this product are either listed, listed as the anhydrous compound or exempt.

**Japan (ENCS) Inventory Status:** All components either listed or exempt.

**China (PRC) Inventory (MEP) Status:** All components either listed or exempt.

---

## 16. OTHER INFORMATION

**References:** 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Technical Judgment. In-house information. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991.

**Complete Text of H phrases referred to in Section 3:** Not applicable

**Revision Summary:** . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

### **Date of MSDS Preparation:**

**Day:** 23

**Month:** April

**Year:** 2014

**MSDS Prepared:** MSDS prepared by Product Compliance Department extension 3350

**CCOHS Evaluation Note:** It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

---

### **Legend:**

NA - Not Applicable

w/w - weight/weight

ND - Not Determined  
NV - Not Available

w/v - weight/volume  
v/v - volume/volume

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

**HACH COMPANY ©2015**