SAFETY DATA SHEET



Issuing Date 23-June-2014	Revision Date 30-Sept-2016	Revision Number 2		
1. IDENTIFICATION	OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING			
GHS Product Identifier				
Product Name:	SealMaster Coal Tar Pavement Sealer			
Other Means of Identification				
Product Code(s):	S1000			
Synonyms	None			
Personwanded Lies of the Chemical	and Pastriations on Use			
Recommended Use of the Chemical				
Recommended Use:	No Information Available			
Uses Advised Against:	No Information Available			
Supplier's Details				
Supplier Address	Manufacturer Address			
SealMaster Locations Nationwide	SealMaster Locations Nationwide			
www.sealmaster.net	www.sealmaster.net			
1-800-341-7325	1-800-341-7325			
Emergency Telephone Number				
Emergency Telephone Number	Chemtrec 1-800-424-9300			
	2. HAZARDS IDENTIFICATION			
GHS Classification				
Carcinogenicity		Category 1B		
GHS Label Elements, Including Prec	autionary Statements			
	Emergency Overview			
Signal Word Da	nger			
 May cause cancer Harmful if swallowed May cause skin irritation 				
Appearance: Black Odor	Physical State: Liquid	Odor: Coal Tar		

Precautionary Statements Prevention	 Obtain special instructions Do not handle until all safe Use personal protective eq Inhalation: Eye Contact: Skin Contact: Ingestion: 	ty precautions have been read and understood.
General Advice	• If exposed or concerned: G	Set medical attention/advice.
Storage	• Store locked up.	
Disposal	Dispose of contents/contain	ner to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Coal Tar Pitches	65996-93-2	20-40	*
Kaolin	1332-58-7	10-30	*
Bentonite	1302-78-9	<10	*

*The exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of Necessary First-Aid Measures

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions, see a physician.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most Important Symptoms/Effects, Acute and Delayed

Most Important Symptoms/Effects No information available

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician

Treat Symptomatically. May cause sensitization by skin contact.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Carbon Dioxide (CO₂). Dry Chemical. Foam. Water Fog.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available

Explosion Data	
Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES Personal Precautions, Protective Equipment, and Emergency Procedures		
Environmental Precautions		
Environmental Precautions:	See Section 12 for additional Ecological Information	
Methods and Materials for Containment and Cleaning Up		

Methods for Containment:	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up:	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Wear personal protective equipment. Avoid breathing vapors or mists. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities		
Storage: Keep container tightly close		
Incompatible Products:	Strong oxidizing agents. Acids.	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Coal Tar Pitches 65996-93-2	TWA: 0.2 mg/m³benzene soluble aerosol	TWA: 0.2 mg/m ³ benzene soluble fraction (vacated) TWA: 0.2 mg/m ³ benzene soluble fraction	IDLH: 80 mg/m³ TWA: 0.1 mg/m³ Cyclohexane-extractable fraction
Kaolin 1332-58-7	-	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA 5 mg/m ³ respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Bentonite 1302-78-9	TWA 1 mg/m ³ respirable fraction	-	-

Appropriate Engineering Controls

Engineering Measures:

Physical State:

Showers Eyewash Stations Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection: Skin and Body Protection: Respiratory Protection:	If splashes are likely to occur, wear: Safety glasses with side shields. Impervious gloves. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene Measures:	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Black

Information on Basic Physical and Chemical Properties

Liquid

Odor: Coal Tar Odor		dor Threshold:	No Information Available
	00	ior mesnoia.	NO INICITATION AVAILABLE
Property	Values	Remarks	/Method
Hq	No data available	None kno	
Melting Point/Range	No data available	None kno	
Boiling Point/Boiling Range		ne known	
Flash Point	No data available	None kno	awn
Evaporation Rate	No data available	None kno	
Flammability (solid, gas)	No data available	None kno	
Flammability Limits in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor Pressure	No data available	None kno	nwn
Vapor Density	No data available	None kno	
Specific Density	1.19 @ 77 F	None kno	
Water Solubility	Easily dispersible	None kno	
Solubility in other solvents	No data available	None kno	own
Partition coefficient: n-octanol/water		None kno	own
Autoignition Temperature	No data available	None kno	own
Decomposition Temperature	No data available	None kno	own
Viscosity	No data available	None kno	own
Flammable Properties	Not Flammable		
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other Information			
VOC Content	Less than 50 g/l		
			-
	10. STABILITY AN	D REACTIVITY	(
Reactivity:	No data available		
•			
Chemical Stability:	Stable under recommended stora	age conditions.	

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to Avoid: Incompatible Products.

Incompatible Materials: Strong oxidizing agents. Acids.

Hazardous Decomposition Products: Carbon Oxides, Nitrogen Oxides (NOx), Sulfur Oxides

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information Inhalation: Eye Contact: Skin Contact: Ingestion:	May cause irritation of respiratory tract. Contact with eyes may cause irritation. May cause irritation. Ingestion may cause stomach discomfort.		
Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Bentonite	>5000 mg/kg (Rat)	-	-

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics

Symptoms:

No information available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization: Mutagenic Effects: Carcinogenicity:	No informati The table be The IARC, N polycyclic ar shale oil asp experimenta	ITP, and OSHA do not list comatic hydrocarbons destu- balts, and coal tars show of animals.	oy's their carcinogenic pote distinct variation in their rel	n general, the oxidation of ential. Petroleum asphalt, ative carcinogenicity for
Chemical Name	ACGIH	IARC	NTP	OSHA

Chemical Name	ACGIH	IARC	NIP	OSHA
Coal Tar Pitches	A1	Group 1	Known	Х

ACGIH: (American Conference of Governmental Industrial Hygienists) A1 – Known Human Carcinogen IRAC: (International Agency for Research on Cancer) Group 1 – Carcinogenic to Humans NTP: (National Toxicity Program) Known – Known Carcinogen **OSHA: (Occupational Safety & Health Administration)** X - Present **Reproductive Toxicity:** No information available. STOT - Single Exposure: No information available. STOT – Repeated Exposure:

No information available. No information available.

Numerical Measures of Toxicity - Product

The following values are calculated based on Chapter 3.1 of the GHS document

LD50 Oral:

Aspiration Hazard:

75299 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Bentonite 1302-78-9	LC50 96 h: 8.0-19.0 g/L (Salmo gairdneri) LC50 96 h: = 19000 mg/L static (Oncorhynchus mykiss)			

Persistence and Degradability: No information available.

Bioaccumulation

Chemical Name	Log Pow
Coal Tar Pitches	6.04

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Page 5 -

Waste Disposal Methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging:

Do not re-use empty containers.

14. TRANSPORTATION INFORMATION

DOT:

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA – Complies DSL/NDSL – Complies

Legend

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65:

This product does not contain any Proposition 65 chemicals.

U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Coal Tar Pitches	Х	Х	Х	Х	
Kaolin	Х	Х	Х		Х

U.S. EPA Label Information

EPA Pesticide Registration Number: Not applicable

 16. OTHER INFORMATION

 NFPA
 Health Hazard: 1
 Flammability: 0
 Instability: 0
 Physical and Chemical Hazards-IMIS

 HMIS
 Health Hazard: 1*
 Flammability: 0
 Physical Hazard: 0
 Personal Protection: X

 *Indicates a chronic health hazard.

Revision Date:	30-Sept-2016
Revision Note:	Supersedes 29-July-2015

<u>General Disclaimer</u> The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.