

SAFETY DATA SHEET

Creation Date 04-Apr-2014

Revision Date 10-May-2019

Revision Number 2

1. Identification

Product Name

Nickel(II) chloride hexahydrate

Cat No. : A14366

CAS-No Synonyms 7791-20-0 Nickel dichloride.; Nickelous chloride

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 3
Acute Inhalation Toxicity - Dusts and Mists	Category 3
Skin Corrosion/irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1B
Specific target organ toxicity - (repeated exposure)	Category 1
Target Organs - Respiratory system.	

Label Elements

Signal Word

Danger

Hazard Statements Toxic if swallowed Toxic if inhaled Causes skin irritation Causes serious eye irritation May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction Suspected of causing genetic defects May cause cancer by inhalation May damage the unborn child Causes damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component			CAS-No	Weight %	
Nickel(II) chloride hexahydrate (1:2:6)			7791-20-0	>95	
Nickel(II) chloride		7718-54-9 -			
	4.	First-aid	measures		
Eye Contact	Rinse immed medical atter		ty of water, also und	er the eyelids, for at least 15 minu	utes. Get
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Obtain medical attention.			ted	
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Obtain medical attention.				
Ingestion	Do not induce	e vomiting. Cal	l a physician or Poisc	n Control Center immediately.	
Most important symptoms and effects	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing				
Notes to Physician	Treat symptomatically				
	5. Fi	re-fightin	g measures		
Suitable Extinguishing Media	Substance is	nonflammable	; use agent most app	ropriate to extinguish surrounding	g fire.
Unsuitable Extinguishing Media	No information	on available			
Flash Point Method -	No informatic No informatic				
Autoignition Temperature Explosion Limits Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No data avail No data avail No informatic No informatic	able on available			
Specific Hazards Arising from the C Non-combustible, substance itself doe allow run-off from fire fighting to enter o	s not burn but		se upon heating to pr	oduce corrosive and/or toxic fum	es. Do not
Hazardous Combustion Products Hydrogen chloride gas Chlorine Burnir Protective Equipment and Precaution As in any fire, wear self-contained breat protective gear.	ons for Firefig	hters		l (approved or equivalent) and fu	II
NFPA					

<u></u>	Health 3	Flammability 0	Instability 0	Physical hazards N/A		
	6. Accidental release measures					
Personal	Precautions	cautions Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes and				

Environmental Precautions	clothing. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.			
Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. AUpformation.				
	7. Handling and storage			
Handling	Use only under a chemical fume hood. Wear personal protective equipment. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not ingest.			
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.			

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Nickel(II) chloride	TWA: 0.1 mg/m ³	(Vacated) TWA: 0.1 mg/m ³	IDLH: 10 mg/m ³	TWA: 0.1 mg/m ³
hexahydrate (1:2:6)	_		TWA: 0.015 mg/m ³	_
Nickel(II) chloride	TWA: 0.1 mg/m ³	(Vacated) TWA: 0.1 mg/m ³	IDLH: 10 mg/m ³	TWA: 0.1 mg/m ³
	_		TWA: 0.015 mg/m ³	_

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and chemical properties				
Physical State	Solid			
Appearance	Green			
Odor	Odorless			
Odor Threshold	No information available			
pH	4-6 5% aq.sol			
Melting Point/Range	1001 °C			
Boiling Point/Range	No information available			
Flash Point	No information available			
Evaporation Rate	Not applicable			
Flammability (solid,gas)	No information available			

Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Bulk Density Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight

No data available No data available 1 mmHg @ 615.6 °C Not applicable No information available &1.92 g/cm3 2540 g/l water (20°C) No data available

> 140°C Not applicable Cl2 Ni . 6 H2 O 237.71

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Avoid dust formation. Excess heat. Incompatible products.		
Incompatible Materials	Strong acids, Peroxides, Metals		
Hazardous Decomposition Products Hydrogen chloride gas, Chlorine, Burning produces obnoxious and toxic fumes			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

Product Information

component information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nickel(II) chloride hexahydrate (1:2:6)	LD50 = 105 mg/kg(Rat)	Not listed	Not listed
Nickel(II) chloride	LD50 = 175 mg/kg (Rat)	Not listed	Not listed
Foxicologically Synergistic	No information available		
Products			
Delaved and immediate effects	as well as chronic effects from	short and long-term exposu	re

Irritation Irritating to eyes and skin

Sensitization May cause sensitization by skin contact

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. May cause cancer by inhalation.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Nickel(II) chloride	7791-20-0	Group 1	Known	Not listed	Х	Not listed
hexahydrate (1:2:6)						
Nickel(II) chloride	7718-54-9	Group 1	Known	Not listed	Х	Not listed
Mutagenic Effects Possible risk of irreversible effects						

 Mutagenic Effects
 Possible risk of irreversible effects

Reproductive Effects

May cause harm to the unborn child.

Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	None known Respiratory system
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Nickel(II) chloride	EC50: 0.0063 - 0.0125	LC50: > 100 mg/L, 96h static	Not listed	EC50: = 6.68 mg/L, 48h
	mg/L, 96h static	(Brachydanio rerio)		(Daphnia magna)
	(Pseudokirchneriella	LC50: = 1.3 mg/L, 96h		EC50: = 0.51 mg/L, 48h
	subcapitata)	semi-static (Cyprinus carpio)		Static (Daphnia magna)
	EC50: = 0.66 mg/L, 72h	LC50: 18.1 - 25.5 mg/L, 96h		
	(Pseudokirchneriella	flow-through (Lepomis		
	subcapitata)	macrochirus)		
		LC50: 2.02 - 6.88 mg/L, 96h		
		static (Lepomis macrochirus)		
		LC50: 6.7 - 9.7 mg/L, 96h		
		flow-through (Oncorhynchus		
		mykiss)		
		LC50: 6.63 - 9.15 mg/L, 96h		
		static (Oncorhynchus		
		mykiss)		
		LC50: 1.9 - 4 mg/L, 96h		
		(Pimephales promelas)		
		LC50: 2.02 - 6.88 mg/L, 96h		
		static (Pimephales		
		promelas)		
		LC50: = 25 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		
		LC50: = 9.65 mg/L, 96h		
		flow-through (Poecilia		
		reticulata)		
		LC50: 29.76 - 43.57 mg/L,		
		96h semi-static (Poecilia		
		reticulata)		
		LC50: 2.83 - 5.99 mg/L, 96h		
		static (Poecilia reticulata)		
		LC50: = 6.9 mg/L, 96h static		
		(Cyprinus carpio)		
Develotones and Devel	ahilitur Colublo in ur	star Daraistanaa is unlikalu		

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN3288
Proper Shipping Name	TOXIC SOLID, INORGANIC, N.O.S.
Proper technical name	(NICKEL(II) CHLORIDE HEXAHYDRATE)
Hazard Class	6.1
Packing Group	III
TDG	
UN-No	UN3288
Proper Shipping Name	TOXIC SOLID, INORGANIC, N.O.S.
Hazard Class	6.1
Packing Group	III
ΙΑΤΑ	
UN-No	UN3288
Proper Shipping Name	TOXIC SOLID, INORGANIC, N.O.S.
Hazard Class	6.1
Packing Group	III
IMDG/IMO	
UN-No	UN3288
Proper Shipping Name	TOXIC SOLID, INORGANIC, N.O.S.
Hazard Class	6.1
Packing Group	III
	15. Regulatory information

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Nickel(II) chloride hexahydrate (1:2:6)	7791-20-0	-	-	-
Nickel(II) chloride	7718-54-9	Х	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Nickel(II) chloride hexahydrate (1:2:6)	7791-20-0	-	-	-	Х	Х	Х	Х	-
Nickel(II) chloride	7718-54-9	Х	-	231-743-0	Х	Х	Х	Х	KE-25837

U.S. Federal Regulations

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Nickel(II) chloride hexahydrate (1:2:6)	7791-20-0	>95	0.1

Nickel(II) chloride	7718-54-9	-	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Nickel(II) chloride hexahydrate	-	-	Х	-
(1:2:6)				
Nickel(II) chloride	X	-	X	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Nickel(II) chloride hexahydrate (1:2:6)	Х		-
Nickel(II) chloride	Х		-

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

Component		Hazardous Substances RQs	CERCLA EHS RQs
Nickel(II) chloride		100 lb	-
California Proposition 65	This product co	ontains the following proposition 65 ch	emicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Nickel(II) chloride hexahydrate (1:2:6)	7791-20-0	Carcinogen Developmental Male Reproductive	-	Developmental Carcinogen
Nickel(II) chloride	7718-54-9	Carcinogen Developmental Male Reproductive	-	Developmental Carcinogen

U.S. State Right-to-Know

I	Regulations	
г		

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Nickel(II) chloride	-	Х	Х	Х	Х
hexahydrate (1:2:6)					
Nickel(II) chloride	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland	This product does not contain any DHS chemicals.
Security	

Other International Regulations

Mexico - Grade

No information available

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com
Creation Date Revision Date	04-Apr-2014 10-May-2019

Print Date Revision Summary 10-May-2019 SDS authoring systems update, replaces ChemGes SDS No. 7791-20-0/5.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS