according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.19.2014 Page 1 of 8

Lead Nitrate 1M

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name: Lead Nitrate 1M

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: \$25383

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education 15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

SECTION 2: Hazards identification

Classification of the substance or mixture:









Environmentally Damaging

Eye Damage. 1 Repr Tox. 1A Aquatic AcTox. 1 Aquatic ChrTox. 1 OxLiq 2

Signal word : Danger

Hazard statements:

May intensify fire; oxidizer
Causes serious eye damage
May cause damage to organs through prolonged or repeated exposure
May damage fertility or the unborn child
Very toxic to aquatic life with long lasting effects
Very toxic to aquatic life

Effective date: 12.19.2014 Page 2 of 8

Lead Nitrate 1M

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Do not eat, drink or smoke when using this product

Avoid release to the environment

Take any precaution to avoid mixing with combustibles

Wash skin thoroughly after handling

Keep/Store away from clothing/.../combustible materials

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapours/spray

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Collect spillage

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing

Rinse mouth

Store locked up


Dispose of contents/container to ...

Combustible Dust Hazard::

May form combustible dust concentrations in air (during processing).

Other Non-GHS Classification:

WHMIS



NFPA SCALE (0-4)







HMIS RATINGS (0-4)

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.19.2014 Page 3 of 8

Lead Nitrate 1M

SECTION 3: Composition/information on ingredients

Ingredients:		
CAS 10099-74-8	Lead Nitrate	33 %
CAS 7732-18-5	DI Water	67 %
	Pe	ercentages are by weight

SECTION 4: First aid measures

Description of first aid measures

After inhalation: Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen.Loosen clothing as necessary and position individual in a comfortable position. Consult a physician.

After skin contact: Wash off with soap and plenty of water. Consult a physician.

After eye contact: Rinse or flush exposed eye gently using water for 15-20 minutes. Protect unexposed eye. If able remove contact lenses while rinsing. Consult a physician.

After swallowing: Rinse mouth with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Consult a physician.

Most important symptoms and effects, both acute and delayed:

Irritation.Nausea.Headache.Shortness of breath.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Nitrogen oxides.Lead oxides.Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment: Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Wear protective eyeware, gloves, and clothing.

Additional information (precautions): Avoid contact with skin, eyes, and clothing. Avoid generating dust. Ensure adequate ventilation.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep product and empty container away from heat and sources of ignition. Use spark-proof tools and explosion-proof equipment. Ensure adequate ventilation.

Environmental precautions:

Prevent from reaching drains, sewer, or waterway. Dust deposits should not be allowed to accumulate on surfaces. Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Do not release into the environment. Collect contaminated soil for characterization per Section 13.

Methods and material for containment and cleaning up:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.19.2014 Page 4 of 8

Lead Nitrate 1M

Sweep up and containerize for disposal. Avoid generating dust. Always obey local regulations. Contain spillage and then collect with an electrically protected vacuum cleaner or by wet-brushing. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary use trained response staff or contractor.

Reference to other sections:

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Use only in well ventilated areas. Wash hands after handling. Follow Chemical Hygiene Plan. Wash hands before breaks and immediately after handling the product. Do not inhale gases, fumes, dust, mist, vapor, and aerosols. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Store with like hazards. Store away from food. Keep product and empty container away from heat and sources of ignition. Keep container tightly closed in a cool, dry, and well-ventilated area.

SECTION 8 : Exposure controls/personal protection







Control Parameters: 10099-74-8, Lead nitrate, 0.05 mg/m3 US ACGIH Threshold Limit Values

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Respiratory protection:

Normal ventilation is adequate. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.19.2014 Page 5 of 8

Lead Nitrate 1M

Protection of skin: Wear protective clothing. Select glove material impermeable and resistant

to the substance. Select glove material based on rates of diffusion and degradation. Wash off with soap and plenty of water. Dispose of contaminated gloves after use in accordance with applicable laws and

good laboratory practices. Complete suit protecting against

chemicals. Select protective clothing according to the concentration and amount of the dangerous substance at the specific workplace. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN

166(EU). Safety glasses with side shields or goggles.

General hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work. Avoid contact with the eyes and skin.Do not inhale gases, fumes, dust, mist, vapor, and aerosols. Before wearing wash contaminated clothing. Wash hands and exposed skin with

soap and plenty of water.

SECTION 9: Physical and chemical properties

Appearance (physical state,color):	White solid	Explosion limit lower: Explosion limit upper:	No Information No Information
Odor:	Odorless	Vapor pressure:	Not Applicable
Odor threshold:	Not Applicable	Vapor density:	Not Applicable
pH-value:	3-4 (20% aqueous sol.)	Relative density:	Not Applicable
Melting/Freezing point:	470°C	Solubilities:	Soluble in water: 500 g/l . Soluble in methanol: 13.3 g/l . Soluble in ethanol: 0.4 g/l
Boiling point/Boiling range:	Not Applicable	Partition coefficient (noctanol/water):	Not Applicable
Flash point (closed cup):	Not Applicable	Auto/Self-ignition temperature:	Not Applicable
Evaporation rate:	Not Applicable	Decomposition temperature:	470°C
Flammability (solid,gaseous):	No Information	Viscosity:	a. Kinematic:Not Applicable b. Dynamic: Not Applicable
Density: No Information			

SECTION 10: Stability and reactivity

Reactivity:

Chemical stability:Oxidizer: Contact with combustible or organic material may cause fire.

Possible hazardous reactions: Stable under normal conditions.

Conditions to avoid: Dust generation. Excessive heat.Incompatible materials.

Incompatible materials:Strong reducing agents. Organic materials.Powdered metals.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.19.2014 Page 6 of 8

Lead Nitrate 1M

Hazardous decomposition products:Carbon oxides (CO, CO2).Nitrogen oxides (NO, NO2).Lead oxides.Lead fumes.

SECTION 11: Toxicological information

Acute Toxicity: No additional information.		
Chronic Toxicity: No additional information.		
Corrosion Irritation: No additional information.		
Sensitization:	No additional information.	
Single Target Organ (STOT):	No additional information.	
Numerical Measures:	No additional information.	
Carcinogenicity:	IARC:- Group 2A:: Probably carcinogenic to humans (Lead nitrate)	
Mutagenicity:	Mutagenic effects have occurred in humans.	
Reproductive Toxicity:	Toxicity effects have occurred in lab animals.	

SECTION 12: Ecological information

Ecotoxicity

Aquatic Tox.: LC50 - Oncorhynchus mykiss (rainbow trout) - 1.5 mg/l - 96.0 h

Aquatic Tox.: LC50 - Cyprinus carpio (Carp) - 0.4 - 1.3 mg/l - 96.0 h **Aquatic Tox.**: EC50 - Daphnia magna (Water flea) - 0.5 - 2.0 mg/l - 48 h

Persistence and degradability: Bioaccumulative potential:

Mobility in soil:

Other adverse effects: Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

SECTION 14: Transport information

UN-Number

3139

UN proper shipping name


Oxidizing liquid

Transport hazard class(es)

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.19.2014 Page 7 of 8

Lead Nitrate 1M



Packing group: II

Environmental hazard: DOT Reportable Quantity (RQ): 10 lbs. IMDG: Marine pollutant

Transport in bulk:

Special precautions for user:

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Reactive, Acute, Chronic

SARA Section 313 (Specific toxic chemical listings):

10099-74-8 Lead nitrate

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):

Chemicals known to cause cancer:

10099-74-8 Lead Nitrate

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.Note:. The responsibility to provide a safe workplace remains with the user.The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.19.2014 Page 8 of 8

Lead Nitrate 1M

employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

Effective date: 12.19.2014 **Last updated**: 03.19.2015